

# Package ‘mcmcsae’

December 11, 2024

**Version** 0.7.8

**License** GPL-3

**Title** Markov Chain Monte Carlo Small Area Estimation

**Type** Package

**LazyLoad** yes

**Encoding** UTF-8

**Description** Fit multi-level models with possibly correlated random effects using Markov Chain Monte Carlo simulation. Such models allow smoothing over space and time and are useful in, for example, small area estimation.

**Date** 2024-12-05

**Depends** R (>= 4.1.0)

**Imports** Matrix (>= 1.5.0), Rcpp (>= 0.11.0), methods, GIGrvg (>= 0.7), loo (>= 2.0.0), matrixStats

**Suggests** dbarts, BayesLogit, lintools, splines, spdep, sf, bayesplot, coda, posterior, parallel, testthat, roxygen2, knitr, rmarkdown, survey

**LinkingTo** Rcpp, RcppEigen, Matrix, GIGrvg

**VignetteBuilder** knitr

**RoxygenNote** 7.3.2

**Collate** 'AR1\_sampler.R' 'GMRF\_extension.R' 'MCMCsim.R' 'MH.R' 'tabMatrix.R' 'MatrixUtils.R' 'RcppExports.R' 'TMVN\_methods.R' 'TMVN\_sampler.R' 'aux\_closures.R' 'cMVN\_sampler.R' 'cholesky.R' 'conjugate\_gradients.R' 'f\_gamma.R' 'f\_poisson.R' 'family.R' 'formulas.R' 'kronprod.R' 'mc\_bart.R' 'mc\_block.R' 'mc\_gen.R' 'mc\_gl.R' 'mc\_mec.R' 'mc\_offset.R' 'mc\_reg.R' 'mc\_vfac.R' 'mc\_vreg.R' 'mcmcsae.R' 'model\_eval.R' 'modelmatrix.R' 'models.R' 'opts.R' 'parallel.R' 'plots.R' 'prediction.R' 'priors.R' 'projection.R' 'random.R' 'samplers.R' 'sbc.R' 'sparse\_template.R' 'utils.R'

**NeedsCompilation** yes

**Author** Harm Jan Boonstra [aut, cre],  
Grzegorz Baltissen [ctb]

**Maintainer** Harm Jan Boonstra <hjboonstra@gmail.com>

**Repository** CRAN

**Date/Publication** 2024-12-11 21:00:02 UTC

## Contents

mcmcsae-package . . . . .	3
acceptance_rates . . . . .	4
aggrMatrix . . . . .	5
brt . . . . .	5
CG_control . . . . .	7
chol_control . . . . .	8
combine_chains . . . . .	9
combine_iters . . . . .	9
computeDesignMatrix . . . . .	10
correlation . . . . .	11
create_cMVN_sampler . . . . .	13
create_sampler . . . . .	14
create_TMVN_sampler . . . . .	18
f_gamma . . . . .	21
gen . . . . .	22
generate_data . . . . .	26
gen_control . . . . .	27
get_draw . . . . .	28
glreg . . . . .	28
GMRF_structure . . . . .	29
labels . . . . .	30
matrix-vector . . . . .	31
maximize_log_lh_p . . . . .	32
MCMC-diagnostics . . . . .	33
MCMC-object-conversion . . . . .	34
mcmcsae_example . . . . .	36
MCMCsim . . . . .	37
mc_offset . . . . .	40
mec . . . . .	41
model-information-criteria . . . . .	43
model_matrix . . . . .	45
n_chains-n_draws-n_vars . . . . .	46
par_names . . . . .	47
plot.dc . . . . .	48
plot.mcdraws . . . . .	48
plot_coef . . . . .	49
posterior-moments . . . . .	51
predict.mcdraws . . . . .	52
print.dc_summary . . . . .	54

print.mcdraws_summary . . . . .	55
pr_beta . . . . .	56
pr_exp . . . . .	56
pr_fixed . . . . .	57
pr_gamma . . . . .	57
pr_gig . . . . .	58
pr_invchisq . . . . .	58
pr_invwishart . . . . .	59
pr_MLiG . . . . .	60
pr_normal . . . . .	61
pr_truncnormal . . . . .	61
pr_unif . . . . .	62
read_draws . . . . .	62
reg . . . . .	63
residuals-fitted-values . . . . .	65
sampler_control . . . . .	67
SBC_test . . . . .	69
setup_cluster . . . . .	70
set_MH . . . . .	71
sim_marg_var . . . . .	72
stop_cluster . . . . .	73
subset.dc . . . . .	73
summary.dc . . . . .	74
summary.mcdraws . . . . .	75
TMVN-methods . . . . .	76
transform_dc . . . . .	78
vfac . . . . .	78
vreg . . . . .	79
weights.mcdraws . . . . .	81

## Index 83

---

mcmcscsae-package

*Markov Chain Monte Carlo Small Area Estimation*

---

### Description

Fit multi-level models with possibly correlated random effects using MCMC.

### Details

Functions to fit multi-level models with Gaussian, binomial, multinomial, negative binomial or Poisson likelihoods using MCMC. Models with a linear predictor consisting of various possibly correlated random effects are supported, allowing flexible modeling of temporal, spatial or other kinds of dependence structures. For Gaussian models the variance can be modeled too. By modeling variances at the unit level the marginal distribution can be changed to a Student-t or Laplace distribution, which may account better for outliers. The package has been developed with applications to small area estimation in official statistics in mind. The posterior samples for the model

parameters can be passed to a prediction function to generate samples from the posterior predictive distribution for user-defined quantities such as finite population domain means. For model assessment, posterior predictive checks and DIC/WAIC criteria can easily be computed.

---

acceptance\_rates      *Return Metropolis-Hastings acceptance rates*

---

### Description

Return Metropolis-Hastings acceptance rates

### Usage

```
acceptance_rates(obj, aggregate.chains = FALSE)
```

### Arguments

`obj`                    an mcdraws object, i.e. the output of function `MCMCsim`.  
`aggregate.chains`        whether to return averages over chains or results per chain.

### Value

A list of acceptance rates.

### Examples

```
ex <- mcmcsae_example()
# specify a model that requires MH sampling (in this case for a modeled
# degrees of freedom parameter in the variance part of the model)
sampler <- create_sampler(ex$model, data=ex$dat, formula.V=~vfac(factor="fA",
  prior=pr_invchisq(df="modeled")))
sim <- MCMCsim(sampler, burnin=100, n.iter=300, thin=2, n.chain=4, store.all=TRUE)
(summary(sim))
acceptance_rates(sim)
```

---

aggrMatrix	<i>Utility function to construct a sparse aggregation matrix from a factor</i>
------------	--

---

### Description

Utility function to construct a sparse aggregation matrix from a factor

### Usage

```
aggrMatrix(fac, w = 1, mean = FALSE, facnames = FALSE)
```

### Arguments

fac	factor variable.
w	vector of weights associated with the levels of fac.
mean	if TRUE, aggregation will produce (weighted) means instead of sums.
facnames	whether the factor levels should be used as column names for the aggregation matrix.

### Value

A sparse aggregation matrix of class `tabMatrix`.

### Examples

```
n <- 1000
f <- sample(1:100, n, replace=TRUE)
x <- runif(n)
M <- aggrMatrix(f)
all.equal(crossprod_mv(M, x), as.vector(tapply(x, f, sum)))
```

---

brt	<i>Create a model component object for a BART (Bayesian Additive Regression Trees) component in the linear predictor</i>
-----	--

---

### Description

This function is intended to be used on the right hand side of the formula argument to [create\\_sampler](#) or [generate\\_data](#). It creates a BART term in the model's linear predictor. To use this model component one needs to have R package **dbarts** installed.

**Usage**

```
brt(
  formula,
  X = NULL,
  n.trees = 75L,
  name = "",
  debug = FALSE,
  keepTrees = FALSE,
  ...
)
```

**Arguments**

formula	a formula specifying the predictors to be used in the BART model component. Variable names are looked up in the data frame passed as data argument to <a href="#">create_sampler</a> or <a href="#">generate_data</a> , or in <code>environment(formula)</code> .
X	a design matrix can be specified directly, as an alternative to the creation of one based on formula. If X is specified formula is ignored.
n.trees	number of trees used in the BART ensemble.
name	the name of the model component. This name is used in the output of the MCMC simulation function <a href="#">MCMCsim</a> . By default the name will be 'bart' with the number of the model term attached.
debug	if TRUE a breakpoint is set at the beginning of the posterior draw function associated with this model component. Mainly intended for developers.
keepTrees	whether to store the trees ensemble for each Monte Carlo draw. This is required for prediction based on new data. The default is FALSE to save memory.
...	parameters passed to <a href="#">dbarts</a> .

**Value**

An object with precomputed quantities and functions for sampling from prior or conditional posterior distributions for this model component. Intended for internal use by other package functions.

**References**

H.A. Chipman, E.I. George and R.E. McCulloch (2010). BART: Bayesian additive regression trees. *The Annals of Applied Statistics* 4(1), 266-298.

J.H. Friedman (1991). Multivariate adaptive regression splines. *The Annals of Statistics* 19, 1-67.

**Examples**

```
# generate data, based on an example in Friedman (1991)
gendat <- function(n=200L, p=10L, sigma=1) {
  x <- matrix(runif(n * p), n, p)
  mu <- 10*sin(pi*x[, 1] * x[, 2]) + 20*(x[, 3] - 0.5)^2 + 10*x[, 4] + 5*x[, 5]
  y <- mu + sigma * rnorm(n)
  data.frame(x=x, mu=mu, y=y)
```

```

}

train <- gendat()
test <- gendat(n=25)

# keep trees for later prediction based on new data
sampler <- create_sampler(
  y ~ brt(~ . - y, name="bart", keepTrees=TRUE),
  sigma.mod=pr_invchisq(df=3, scale=var(train$y)),
  data = train
)
sim <- MCMCsim(sampler, n.chain=2, n.iter=700, thin=2,
  store.all=TRUE, verbose=FALSE)
(summ <- summary(sim))
plot(train$mu, summ$bart[, "Mean"]); abline(0, 1)
# NB prediction is currently slow

pred <- predict(sim, newdata=test,
  iters=sample(seq_len(n_draws(sim)), 100),
  show.progress=FALSE
)
(summpred <- summary(pred))
plot(test$mu, summpred[, "Mean"]); abline(0, 1)

```

---

CG\_control

*Set options for the conjugate gradient (CG) sampler*


---

## Description

Set options for the conjugate gradient (CG) sampler

## Usage

```

CG_control(
  max.it = NULL,
  stop.criterion = NULL,
  preconditioner = c("GMRF", "GMRF2", "GMRF3", "identity"),
  scale = 1,
  chol.control = chol_control(),
  verbose = FALSE
)

```

## Arguments

`max.it` maximum number of CG iterations.

`stop.criterion` total squared error stop criterion for the CG algorithm.

`preconditioner` one of "GMRF", "GMRF2", "GMRF3" and "identity".

scale	scale parameter; only used by the "GMRF3" preconditioner.
chol.control	options for Cholesky decomposition, see <a href="#">chol_control</a> .
verbose	whether diagnostic information about the CG sampler is shown.

**Value**

A list of options used by the conjugate gradients algorithm.

---

chol_control	<i>Set options for Cholesky decomposition</i>
--------------	---

---

**Description**

These options are only effective in case the matrix to be decomposed is sparse, i.p. of class [dsCMatrix-class](#).

**Usage**

```
chol_control(perm = NULL, super = NA, ordering = 0L, inplace = TRUE)
```

**Arguments**

perm	logical scalar, see <a href="#">Cholesky</a> . If NULL, the default, the choice is left to a simple heuristic.
super	logical scalar, see <a href="#">Cholesky</a> .
ordering	an integer scalar passed to CHOLMOD routines determining which reordering schemes are tried to limit sparse Cholesky fill-in.
inplace	whether sparse Cholesky updates should re-use the same memory location.

**Value**

A list with specified options used for Cholesky decomposition.



---

combine_chains	<i>Combine multiple mcdraws objects into a single one by combining their chains</i>
----------------	---

---

**Description**

This function can be used to combine the results of parallel simulations.

**Usage**

```
combine_chains(...)
```

**Arguments**

... objects of class mcdraws.

**Value**

A combined object of class mcdraws where the number of stored chains equals the sum of the numbers of chains in the input objects.

---

combine_iters	<i>Combine multiple mcdraws objects into a single one by combining their draws</i>
---------------	--

---

**Description**

This function is used to combine the results of parallel posterior predictive simulations.

**Usage**

```
combine_iters(...)
```

**Arguments**

... objects of class mcdraws

**Value**

A combined object of class mcdraws where the number of stored draws equals the sum of the numbers of draws in the input objects.

---

computeDesignMatrix	<i>Compute a list of design matrices for all terms in a model formula, or based on a sampler environment</i>
---------------------	--

---

### Description

If sampler is provided instead of formula, the design matrices are based on the model used to create the sampler environment. In that case, if data is NULL, the design matrices stored in sampler are returned, otherwise the design matrices are computed for the provided data based on the sampler's model. The output is a list of dense or sparse design matrices for the model components with respect to data.

### Usage

```
computeDesignMatrix(formula = NULL, data = NULL, labels = TRUE)
```

### Arguments

formula	model formula.
data	data frame to be used in deriving the design matrices.
labels	if TRUE, column names are assigned.

### Value

A list of design matrices.

### Examples

```
n <- 1000
dat <- data.frame(
  x = rnorm(n),
  f = factor(sample(1:50, n, replace=TRUE))
)
str(computeDesignMatrix(~ x, dat)[[1]])
model <- ~ reg(~x, name="beta") + gen(~x, factor=~f, name="v")
X <- computeDesignMatrix(model, dat)
str(X)
```

**Description**

Element 'factor' of a model component created using function `gen` is a formula composed of several possible terms described below. It is used to derive a (typically sparse) precision matrix for a set of coefficients, and possibly a matrix representing a set of linear constraints to be imposed on the coefficient vector.

**iid(f)** Independent effects corresponding to the levels of factor `f`.

**RW1(f, circular=FALSE, w=NULL)** First-order random walk over the levels of factor `f`. The random walk can be made circular and different (fixed) weights can be attached to the innovations. If specified, `w` must be a positive numeric vector of length one less than the number of factor levels. For example, if the levels correspond to different times, it would often be reasonable to choose `w` proportional to the reciprocal time differences. For equidistant times there is generally no need to specify `w`.

**RW2(f)** Second-order random walk.

**AR1(f, phi, w=NULL, control=NULL)** First-order autoregressive correlation structure among the levels of `f`. Argument `phi` can be a single numerical value of the autoregressive parameter, or an appropriate prior specification if `phi` should be inferred. If not supplied, a uniform prior on  $(-1, 1]$  is assumed. For irregularly spaced AR(1) processes weights can be specified, in the same way as for RW1.

**season(f, period)** Dummy seasonal with period `period`.

**spatial(f, graph, snap, queen)** CAR spatial correlation. Argument `graph` can either be an object of (S4) class `SpatialPolygonsDataFrame` or an object of (S3) class `sf`. The latter can be obtained, e.g., by reading in a shape file using function `st_read`. Arguments `snap` and `queen` are passed to `poly2nb`, which computes a neighbours list. Alternatively, a neighbours list object of class `nb` can be passed directly as argument `graph`.

**spline(f, knots, degree)** P-splines, i.e. penalized B-splines structure over the domain of a quantitative variable `f`. Arguments `knots` and `degree` are passed to `splineDesign`. If `knots` is a single value it is interpreted as the number of knots, otherwise as a vector of knot positions. By default 40 equally spaced knots are used, and a degree of 3.

**custom(f, D=NULL, Q=NULL, R=NULL, derive.constraints=NULL)** Either a custom precision or incidence matrix associated with factor `f` can be passed to argument `Q` or `D`. Optionally a constraint matrix can be supplied as `R`, or constraints can be derived from the null space of the precision matrix by setting `derive.constraints=TRUE`.

**Usage**

```
iid(name)
```

```
RW1(name, circular = FALSE, w = NULL)
```

```
RW2(name)
```

```

AR1(name, phi, w = NULL, control = NULL)

season(name, period)

spatial(
  name,
  graph = NULL,
  snap = sqrt(.Machine$double.eps),
  queen = TRUE,
  poly.df = NULL,
  derive.constraints = FALSE
)

spline(name, knots, degree)

custom(name, D = NULL, Q = NULL, R = NULL, derive.constraints = NULL)

```

### Arguments

name	name of a variable, unquoted.
circular	whether the random walk is circular.
w	a vector of weights.
phi	prior distribution, or fixed value, for an autoregressive parameter. The default is a uniform prior over the interval $[-1, 1]$ . A single numeric value is interpreted as a fixed value, corresponding to a degenerate prior, which can also be specified as <code>pr_fixed(value)</code> . Alternatively, <code>link{pr_truncnormal}</code> can be used to specify a truncated normal prior.
control	options for Metropolis-Hastings sampling from the conditional posterior for an autoregressive parameter. These options can be set using function <code>set_MH</code> . Supported proposal types are "TN" and "RWTN". By default an independence truncated normal proposal ( <code>type="TN"</code> ), or a random walk truncated normal proposal ( <code>type="RWTN"</code> ) with adaptive scale initialised at 0.025 is used, depending on whether the specified random effects' distribution is Gaussian or non-Gaussian.
period	a positive integer specifying the seasonal period.
graph	either a spatial object of class <code>SpatialPolygons</code> , <code>sf</code> , <code>sfc</code> , or a neighbours list of class <code>nb</code> .
snap	passed to <code>poly2nb</code> . Ignored if <code>graph</code> is a neighbours list.
queen	passed to <code>poly2nb</code> . Ignored if <code>graph</code> is a neighbours list.
poly.df	a spatial data frame. DEPRECATED, use argument <code>graph</code> instead.
derive.constraints	whether to derive the constraint matrix for an IGMRF model component numerically from the precision matrix. The use of <code>derive.constraints</code> in function <code>spatial</code> is DEPRECATED, as it is no longer needed.
knots	passed to <code>splineDesign</code> .

degree            passed to [splineDesign](#).  
 D                 custom incidence matrix.  
 Q                 custom precision matrix.  
 R                 custom restriction matrix.

## References

B. Allevius (2018). On the precision matrix of an irregularly sampled AR(1) process. arXiv:1801.03791.  
 H. Rue and L. Held (2005). Gaussian Markov Random Fields. Chapman & Hall/CRC.

## Examples

```
# example of CAR spatial random effects
if (requireNamespace("sf")) {
  # 1. load a shape file of counties in North Carolina
  nc <- sf::st_read(system.file("shape/nc.shp", package="sf"))
  # 2. generate some data according to a model with a few regression
  # effects, as well as spatial random effects
  gd <- generate_data(
    ~ reg(~ AREA + BIR74, prior=pr_normal(precision=1), name="beta") +
      gen(factor = ~ spatial(NAME, graph=nc), name="vs"),
    sigma.mod = pr_invchisq(df=10, scale=1),
    data = nc
  )
  # add the generated target variable and the spatial random effects to the
  # spatial dataframe object
  nc$y <- gd$y
  nc$vs_true <- gd$pars$vs
  # 3. fit a model to the generated data, and see to what extent the
  # parameters used to generate the data, gd$pars, are reproduced
  sampler <- create_sampler(
    y ~ reg(~ AREA + BIR74, prior=pr_normal(precision=1), name="beta") +
      gen(factor = ~ spatial(NAME, graph=nc), name="vs"),
    data=nc
  )
  sim <- MCMCsim(sampler, store.all=TRUE, n.iter=600, n.chain=2, verbose=FALSE)
  (summ <- summary(sim))
  nc$vs <- summ$vs[, "Mean"]
  plot(nc[c("vs_true", "vs")])
  plot(gd$pars$vs, summ$vs[, "Mean"]); abline(0, 1, col="red")
}
```

---

create\_cMVN\_sampler    *Set up a function for direct sampling from a constrained multivariate normal distribution*

---

**Description**

Set up a function for direct sampling from a constrained multivariate normal distribution

**Usage**

```
create_cMVN_sampler(
  D = NULL,
  Q = NULL,
  update.Q = FALSE,
  R = NULL,
  r = NULL,
  eps1 = 0,
  eps2 = 0,
  chol.control = chol_control(perm = TRUE)
)
```

**Arguments**

D	factor of precision matrix Q such that $Q=D'D$ .
Q	precision matrix.
update.Q	whether to update (D and) Q for each draw.
R	equality restriction matrix.
r	rhs vector for equality constraints $R'x = r$ , where $R'$ denotes the transpose of R.
eps1	scalar parameter to control numerical robustness against singularity of Q.
eps2	scalar parameter associated with the constraint part to control numerical robustness.
chol.control	options for Cholesky decomposition, see <a href="#">chol_control</a> .

**Value**

An environment with precomputed quantities and a method 'draw' for sampling from a multivariate normal distribution subject to equality constraints.

---

create_sampler	<i>Create a sampler object</i>
----------------	--------------------------------

---

**Description**

This function sets up a sampler object, based on the specification of a model. The object contains functions to draw a set of model parameters from their prior and conditional posterior distributions, and to generate starting values for the MCMC simulation. The functions share a common environment containing precomputed quantities such as design matrices based on the model and the data. The sampler object is the main input for the MCMC simulation function [MCMCsim](#).

**Usage**

```

create_sampler(
  formula,
  data = NULL,
  family = "gaussian",
  ny = NULL,
  ry = NULL,
  r.mod,
  sigma.fixed = NULL,
  sigma.mod = NULL,
  Q0 = NULL,
  formula.V = NULL,
  logJacobian = NULL,
  linpred = NULL,
  compute.weights = FALSE,
  block = NULL,
  prior.only = FALSE,
  control = sampler_control()
)

```

**Arguments**

formula	formula to specify the response variable and additive model components. The model components form the linear predictor part of the model. A model component on the right hand side can be either a regression term specified by <code>reg(...)</code> , a covariates subject to error term specified by <code>mec(...)</code> , or a generic random effect term specified by <code>gen(...)</code> . See for details the help pages for these model component creation functions. An offset can be specified as <code>offset(...)</code> . Other terms in the formula are collectively interpreted as ordinary regression effects, treated in the same way as a <code>reg(...)</code> term, but without the option to change the prior.
data	data frame with n rows in which the variables specified in model components can be found.
family	character string describing the data distribution. The default is 'gaussian'. Other options are 'binomial', 'multinomial', 'negbinomial' for the negative binomial distribution, 'poisson', and 'gamma'. See <a href="#">mcmcscsae-family</a> for the related functions that can be used to specify family and associated parameters and controls. For the binomial distribution logistic and probit link functions are supported, the latter only for binary data. For the negative binomial, Poisson and gamma sampling distributions a log link function is assumed. For categorical or multinomial data, family = "multinomial" can be used. The implementation is based on a stick-breaking representation of the multinomial distribution, and the logistic link function relates each category except the last to a linear predictor. The categories can be referenced in the model specification formula by 'cat_'.
ny	in case family="binomial" the (vector of) numbers of trials. It can be either a numeric vector or the name of a variable in data. Defaults to a vector of 1s.

<code>ry</code>	in case <code>family="negbinomial"</code> the known, i.e. fixed part of the (reciprocal) dispersion parameter. It can be specified either as a numeric vector or the name of a numeric variable in data. The overall dispersion parameter is the product of <code>ry</code> with a positive scalar factor modelled as specified by argument <code>r.mod</code> . By default <code>ry</code> is taken to be 1.
<code>r.mod</code>	prior specification for a scalar (reciprocal) dispersion parameter of the negative binomial distribution. The prior can be specified by a call to a prior specification function. Currently <code>pr_invchisq</code> , <code>pr_gig</code> and <code>pr_fixed</code> are supported. The default is a chi-squared prior with 1 degree of freedom. To set the overall dispersion parameter to the value(s) specified by <code>ry</code> , use <code>r.mod = pr_fixed(value=1)</code> .
<code>sigma.fixed</code>	for Gaussian models, if TRUE the residual standard deviation parameter <code>'sigma_'</code> is fixed at 1. In that case argument <code>sigma.mod</code> is ignored. This is convenient for Fay-Herriot type models with (sampling) variances assumed to be known. Default is FALSE.
<code>sigma.mod</code>	prior for the variance parameter of a gaussian sampling distribution. This can be specified by a call to one of the prior specification functions <code>pr_invchisq</code> , <code>pr_exp</code> , <code>pr_gig</code> or <code>pr_fixed</code> for inverse chi-squared, exponential, generalized inverse gaussian or degenerate prior distribution, respectively. The default is an improper prior <code>pr_invchisq(df=0, scale=1)</code> . A half-t prior on the standard deviation can be specified using <code>pr_invchisq</code> with a chi-squared distributed scale parameter.
<code>Q0</code>	$n \times n$ data-level precision matrix for a Gaussian model. It defaults to the unit matrix. If an $n$ -vector is provided it will be expanded to a (sparse) diagonal matrix with <code>Q0</code> on its diagonal. If a name is supplied it will be looked up in data and subsequently expanded to a diagonal matrix.
<code>formula.V</code>	a formula specifying the terms of a variance model in the case of a Gaussian likelihood. Currently two types of terms are supported: a regression term for the log-variance specified with <code>vreg(...)</code> , and a term <code>vfac(...)</code> for multiplicative modeled factors at a certain level specified by a factor variable. By using unit-level inverse-chi-squared factors the marginal sampling distribution becomes a Student-t distribution, and by using unit-level exponential factors it becomes a Laplace or double exponential distribution.
<code>logJacobian</code>	if the data are transformed the logarithm of the Jacobian can be supplied so that it is incorporated in all log-likelihood computations. This can be useful for comparing information criteria for different transformations. It should be supplied as a vector of the same size as the response variable, and is currently only supported if <code>family="gaussian"</code> . For example, when a log-transformation is used on response vector <code>y</code> , the vector <code>-log(y)</code> should be supplied.
<code>linpred</code>	a list of matrices defining (possibly out-of-sample) linear predictors to be simulated. This allows inference on e.g. (sub)population totals or means. The list must be of the form <code>list(name_1=X_1, ...)</code> where the names refer to the model component names and predictions are computed by summing <code>X_i %*% p[[name_i]]</code> . Alternatively, <code>linpred="fitted"</code> can be used as a short-cut for simulations of the full in-sample linear predictor.
<code>compute.weights</code>	if TRUE weights are computed for each element of <code>linpred</code> . Note that for a large



	dataset in combination with vector-valued linear predictors the weights can take up a lot of memory. By default only means are stored in the simulation carried out using <code>MCMCsim</code> .
block	DEPRECATED, please use argument <code>control</code> instead, see also <code>sampler_control</code> . Note that this parameter is now by default set to TRUE.
prior.only	whether a sampler is set up only for sampling from the prior or for sampling from both prior and posterior distributions. Default FALSE. If TRUE there is no need to specify a response in <code>formula</code> . This is used by <code>generate_data</code> , which samples from the prior predictive distribution.
control	a list with further computational options. These options can be specified using function <code>sampler_control</code> .

### Details

The right hand side of the `formula` argument to `create_sampler` can be used to specify additive model components. Currently four model components are supported: `reg(...)` for regression or 'fixed' effects, `gen(...)` for generic random effects, `mec(...)` for measurement in covariates effects, and `brt(...)` for a Bayesian additive regression trees component. Note that an offset can be added separately, in the usual way using `offset(...)`.

For gaussian models, `formula.V` can be used to specify the variance structure of the model. Currently two specialized variance model components are supported, `vreg(...)` for regression effects predicting the log-variance and `vfac(...)` for modeled variance factors.

### Value

A sampler object, which is the main input for the MCMC simulation function `MCMCsim`. The sampler object is an environment with precomputed quantities and functions. The main functions are `rprior`, which returns a sample from the prior distributions, `draw`, which returns a sample from the full conditional posterior distributions, and `start`, which returns a list with starting values for the Gibbs sampler. If `prior.only` is TRUE, functions `draw` and `start` are not created.

### References

- J.H. Albert and S. Chib (1993). Bayesian analysis of binary and polychotomous response data. *Journal of the American statistical Association* 88(422), 669-679.
- D. Bates, M. Maechler, B. Bolker and S.C. Walker (2015). Fitting Linear Mixed-Effects Models Using lme4. *Journal of Statistical Software* 67(1), 1-48.
- S.W. Linderman, M.J. Johnson and R.P. Adams (2015). Dependent multinomial models made easy: Stick-breaking with the Polya-Gamma augmentation. *Advances in Neural Information Processing Systems*, 3456-3464.
- P.A. Parker, S.H. Holan and R. Janicki (2023). Conjugate Modeling Approaches for Small Area Estimation with Heteroscedastic Structure. *Journal of Survey Statistics and Methodology*, smad002.
- N. Polson, J.G. Scott and J. Windle (2013). Bayesian Inference for Logistic Models Using Polya-Gamma Latent Variables. *Journal of the American Statistical Association* 108(504), 1339-1349.
- H. Rue and L. Held (2005). *Gaussian Markov Random Fields*. Chapman & Hall/CRC.
- M. Zhou and L. Carin (2015). Negative Binomial Process Count and Mixture Modeling. *IEEE Transactions on Pattern Analysis and Machine Intelligence* 37(2), 307-320.

**Examples**

```
# first generate some data
n <- 200
x <- rnorm(n)
y <- 0.5 + 2*x + 0.3*rnorm(n)
# create a sampler for a simple linear regression model
sampler <- create_sampler(y ~ x)
sim <- MCMCsim(sampler)
(summary(sim))

y <- rbinom(n, 1, 1 / (1 + exp(-(0.5 + 2*x))))
# create a sampler for a binary logistic regression model
sampler <- create_sampler(y ~ x, family="binomial")
sim <- MCMCsim(sampler)
(summary(sim))
```

---

create\_TMVN\_sampler     *Set up a sampler object for sampling from a possibly truncated and degenerate multivariate normal distribution*

---

**Description**

This function sets up an object for multivariate normal sampling based on a specified precision matrix. Linear equality and inequality restrictions are supported. For sampling under inequality restrictions four algorithms are available. The default in that case is an exact Hamiltonian Monte Carlo algorithm (Pakman and Paninski, 2014). A related algorithm is the zig-zag Hamiltonian Monte Carlo method (Nishimura et al., 2021) in which momentum is sampled from a Laplace instead of normal distribution. Alternatively, a Gibbs sampling algorithm can be used (Rodriguez-Yam et al., 2004). The fourth option is a data augmentation method that samples from a smooth approximation to the truncated multivariate normal distribution (Souris et al., 2018).

**Usage**

```
create_TMVN_sampler(
  Q,
  mu = NULL,
  Xy = NULL,
  update.Q = FALSE,
  update.mu = update.Q,
  name = "x",
  coef.names = NULL,
  R = NULL,
  r = NULL,
  S = NULL,
  s = NULL,
  lower = NULL,
  upper = NULL,
```

```

    check.constraints = FALSE,
    method = NULL,
    reduce = NULL,
    chol.control = chol_control(),
    debug = FALSE
)

```

### Arguments

Q	precision matrix of the (unconstrained) multivariate normal distribution.
mu	mean of the (unconstrained) multivariate normal distribution.
Xy	alternative to specifying mu; in this case mu is computed as $Q^{-1}Xy$ .
update.Q	whether Q is updated for each draw. Currently only supported by methods 'direct' and 'HMC'.
update.mu	whether mu is updated for each draw. By default equal to update.Q. Currently only supported by methods 'direct' and 'HMC'.
name	name of the TMVN vector parameter.
coef.names	optional labels for the components of the vector parameter.
R	equality restriction matrix.
r	rhs vector for equality constraints $R'x = r$ , where $R'$ denotes the transpose of R.
S	inequality restriction matrix.
s	rhs vector for inequality constraints $S'x \geq s$ , where $S'$ denotes the transpose of S.
lower	alternative to s for two-sided inequality restrictions $lower \leq S'x \leq upper$ .
upper	alternative to s for two-sided inequality restrictions $lower \leq S'x \leq upper$ .
check.constraints	if TRUE check whether the starting values satisfy all constraints.
method	sampling method. The options are "direct" for direct sampling from the unconstrained or equality constrained multivariate normal (MVN). For inequality constrained MVN sampling three methods are supported: "HMC" for (exact) Hamiltonian Monte Carlo, "HMCZigZag" for (exact) Hamiltonian Monte Carlo with Laplace momentum, "Gibbs" for a component-wise Gibbs sampling approach, and "softTMVN" for a data augmentation method that samples from a smooth approximation to the truncated MVN. Alternatively, the method setting functions <code>m_direct</code> , <code>m_HMC</code> , <code>m_HMC_ZigZag</code> , <code>m_Gibbs</code> or <code>m_softTMVN</code> can be used to select the method and possibly set some of its options to non-default values, see <a href="#">TMVN-methods</a> .
reduce	whether to a priori restrict the simulation to the subspace defined by the equality constraints.
chol.control	options for Cholesky decomposition, see <a href="#">chol_control</a> .
debug	if TRUE a breakpoint is set at the beginning of the TMVN sampling function draw.

## Details

The componentwise Gibbs sampler uses univariate truncated normal samplers as described in Botev and L'Ecuyer (2016). These samplers are implemented in R package **TruncatedNormal**, but here translated to C++ for an additional speed-up.

## Value

An environment for sampling from a possibly degenerate and truncated multivariate normal distribution.

## Author(s)

Harm Jan Boonstra, with help from Grzegorz Baltissen

## References

- Z.I. Botev and P. L'Ecuyer (2016). Simulation from the Normal Distribution Truncated to an Interval in the Tail. in VALUETOOLS.
- Y. Cong, B. Chen and M. Zhou (2017). Fast simulation of hyperplane-truncated multivariate normal distributions. *Bayesian Analysis* 12(4), 1017-1037.
- Y. Li and S.K. Ghosh (2015). Efficient sampling methods for truncated multivariate normal and student-t distributions subject to linear inequality constraints. *Journal of Statistical Theory and Practice* 9(4), 712-732.
- A. Nishimura, Z. Zhang and M.A. Suchard (2021). Hamiltonian zigzag sampler got more momentum than its Markovian counterpart: Equivalence of two zigzags under a momentum refreshment limit. arXiv:2104.07694.
- A. Pakman and L. Paninski (2014). Exact Hamiltonian Monte Carlo for truncated multivariate gaussians. *Journal of Computational and Graphical Statistics* 23(2), 518-542.
- G. Rodriguez-Yam, R.A. Davis and L.L. Scharf (2004). Efficient Gibbs sampling of truncated multivariate normal with application to constrained linear regression. Unpublished manuscript.
- H. Rue and L. Held (2005). *Gaussian Markov Random Fields*. Chapman & Hall/CRC.
- A. Souris, A. Bhattacharya and P. Debdeep (2018). The Soft Multivariate Truncated Normal Distribution. arXiv:1807.09155.
- K.A. Valeriano, C.E. Galarza and L.A. Matos (2023). Moments and random number generation for the truncated elliptical family of distributions. *Statistics and Computing* 33(1), 1-20.

## Examples

```
S <- cbind(diag(2), c(-1, 1), c(1.1, -1)) # inequality matrix
# S'x >= 0 represents the wedge x1 <= x2 <= 1.1 x1
# example taken from Pakman and Paninski (2014)
# 1. exact Hamiltonian Monte Carlo (Pakman and Paninski, 2014)
sampler <- create_TMVN_sampler(Q=diag(2), mu=c(4, 4), S=S, method="HMC")
sim <- MCMCsim(sampler, n.iter=600, verbose=FALSE)
summary(sim)
plot(as.matrix(sim$x), pch=".")
# 2. exact Hamiltonian Monte Carlo with Laplace momentum (Nishimura et al., 2021)
```

```

sampler <- create_TMVN_sampler(Q=diag(2), mu=c(4, 4), S=S, method="HMCZigZag")
sim <- MCMCsim(sampler, n.iter=600, verbose=FALSE)
summary(sim)
plot(as.matrix(sim$x), pch=".")
# 3. Gibbs sampling approach (Rodriguez-Yam et al., 2004)
sampler <- create_TMVN_sampler(Q=diag(2), mu=c(4, 4), S=S, method="Gibbs")
sim <- MCMCsim(sampler, burnin=500, n.iter=2000, verbose=FALSE)
summary(sim)
plot(as.matrix(sim$x), pch=".")
# 4. soft TMVN approximation (Souris et al., 2018)
sampler <- create_TMVN_sampler(Q=diag(2), mu=c(4, 4), S=S, method="softTMVN")
sim <- MCMCsim(sampler, n.iter=600, verbose=FALSE)
summary(sim)
plot(as.matrix(sim$x), pch=".")

```

---

f\_gamma

*Functions for specifying a sampling distribution and link function*


---

## Description

These functions are intended for use in the family argument of `create_sampler`. In future versions these functions may gain additional arguments, but currently the corresponding functions `gaussian` and `binomial` can be used as well.

## Usage

```

f_gamma(
  link = "log",
  shape.vec = ~1,
  shape.prior = pr_gamma(0.1, 0.1),
  control = set_MH(type = "RWLN", scale = 0.2, adaptive = TRUE)
)

f_gaussian_gamma(link = "identity", var.data, ...)

f_poisson(link = "log", size = 100)

f_gaussian(link = "identity")

f_binomial(link = c("logit", "probit"))

f_negbinomial(link = "logit")

f_multinomial(link = "logit", K = NULL)

```

**Arguments**

link	the name of a link function. Currently the only allowed link functions are: "identity" for (log-)Gaussian sampling distributions, "logit" (default) and "probit" for binomial distributions and "log" for negative binomial sampling distributions.
shape.vec	optional formula specification of unequal shape parameter for gamma family
shape.prior	prior for gamma shape parameter. Supported prior distributions: <code>pr_fixed</code> with a default value of 1, <code>pr_exp</code> and <code>pr_gamma</code> . The current default is <code>pr_gamma(shape=0.1, rate=0.1)</code> .
control	options for the Metropolis-Hastings algorithm employed in case the shape parameter is to be inferred. Function <code>set_MH</code> can be used to change the default options. The two choices of proposal distribution type supported are "RWLN" for a random walk proposal on the log-shape scale, and "gamma" for an approximating gamma proposal, found using an iterative algorithm. In the latter case, a Metropolis-Hastings accept-reject step is currently omitted, so the sampling algorithm is an approximate one, though often quite accurate and efficient.
var.data	the (variance) data for the gamma part of family <code>gaussian_gamma</code> .
...	further arguments passed to <code>f_gamma</code> .
size	size or dispersion parameter of the negative binomial distribution used internally to approximate the Poisson distribution. This should be set to a relatively large value (default is 100), corresponding to negligible overdispersion, to obtain a good approximation. However, too large values may cause slow MCMC exploration of the posterior distribution.
K	number of categories for multinomial model; this must be specified for prior predictive sampling.

**Value**

A family object.

**References**

J.W. Miller (2019). Fast and Accurate Approximation of the Full Conditional for Gamma Shape Parameters. *Journal of Computational and Graphical Statistics* 28(2), 476-480.

---

gen	<i>Create a model component object for a generic random effects component in the linear predictor</i>
-----	---

---

**Description**

This function is intended to be used on the right hand side of the formula argument to `create_sampler` or `generate_data`.

**Usage**

```

gen(
  formula = ~1,
  factor = NULL,
  remove.redundant = FALSE,
  drop.empty.levels = FALSE,
  X = NULL,
  var = NULL,
  prior = NULL,
  Q0 = NULL,
  PX = NULL,
  priorA = NULL,
  strucA = GMRF_structure(),
  R0 = NULL,
  RA = NULL,
  constr = NULL,
  S0 = NULL,
  SA = NULL,
  formula.gl = NULL,
  a = 1000,
  name = "",
  sparse = NULL,
  control = gen_control(),
  debug = FALSE
)

```

**Arguments**

- |         |   |
|---------|---|
| formula | a model formula specifying the effects that vary over the levels of the factor variable(s) specified by argument factor. Defaults to ~1, corresponding to random intercepts. If X is specified formula is ignored. Variable names are looked up in the data frame passed as data argument to <a href="#">create_sampler</a> or <a href="#">generate_data</a> , or in environment(formula).  |
| factor  | a formula with factors by which the effects specified in the formula argument vary. Often only one such factor is needed but multiple factors are allowed so that interaction terms can be modeled conveniently. The formula must take the form ~ f1(fac1, ...) * f2(fac2, ...) ..., where fac1, fac2 are factor variables and f1, f2 determine the correlation structure assumed between levels of each factor, and the ... indicate that for some correlation types further arguments can be passed. Correlation structures currently supported include iid for independent identically distributed effects, RW1 and RW2 for random walks of first or second order over the factor levels, AR1 for first-order autoregressive effects, season for seasonal effects, spatial for spatial (CAR) effects and custom for supplying a custom precision matrix corresponding to the levels of the factor. For further details about the correlation structures, and further arguments that can be passed, see <a href="#">correlation</a> . Argument factor is ignored if X is specified. The factor variables are looked up in the data frame passed as data argument to <a href="#">create_sampler</a> or <a href="#">generate_data</a> , or in environment(formula). |

<code>remove.redundant</code>	whether redundant columns should be removed from the model matrix associated with <code>formula</code> . Default is <code>FALSE</code> .
<code>drop.empty.levels</code>	whether to remove factor levels without observations.
<code>X</code>	A (possibly sparse) design matrix. If <code>X</code> is specified, <code>formula</code> and <code>factor</code> are only used to derive the random effects' structured precision matrix.
<code>var</code>	the (co)variance structure among the varying effects defined by <code>formula</code> over the levels of the factors defined by <code>factor</code> . The default is "unstructured", meaning that a full covariance matrix parametrization is used. For uncorrelated effects with unequal variances use <code>var="diagonal"</code> . For uncorrelated effects with equal variances use <code>var="scalar"</code> . In the case of a single varying effect there is no difference between these choices.
<code>prior</code>	the prior specification for the variance parameters of the random effects. These can currently be specified by a call to <code>pr_invwishart</code> in case <code>var="unstructured"</code> or by a call to <code>pr_invchisq</code> otherwise. See the documentation of those prior specification functions for more details.
<code>Q0</code>	precision matrix associated with <code>formula</code> . This can only be used in combination with <code>var="scalar"</code> .
<code>PX</code>	whether parameter expansion should be used. Default is <code>TRUE</code> , which applies parameter expansion with default options. The only exception is that for gamma sampling distributions the default is <code>FALSE</code> , i.e. no parameter expansion. Alternative options can be specified by supplying a list with one or more of the following components: <ul style="list-style-type: none"> <li><b>prior</b> prior for the multiplicative expansion parameter. Defaults to a normal prior with mean 0 and standard deviation 1, unless the sampling distribution is gamma in which case the default is a Multivariate Log inverse Gamma prior. The default parameters can be changed using functions <code>pr_normal</code> or <code>pr_MLiG</code>.</li> <li><b>vector</b> whether a redundant multiplicative expansion parameter is used for each varying effect specified by <code>formula</code>. The default is <code>TRUE</code> except when <code>var="scalar"</code>. If <code>FALSE</code> a single redundant multiplicative parameter is used.</li> <li><b>data.scale</b> whether the data level scale is used as a variance factor for the expansion parameters. Default is <code>TRUE</code>.</li> </ul>
<code>priorA</code>	prior distribution for scale factors at the variance scale associated with <code>QA</code> . In case of IGMRF models the scale factors correspond to the innovations. The default <code>NULL</code> means not to use any local scale factors. A prior can currently be specified using <code>pr_invchisq</code> or <code>pr_exp</code> .
<code>strucA</code>	this option can be used to modify the default structure encoded by <code>factor</code> to a 'bym2' or 'leroux' structure. See <code>GMRf_structure</code> for details.
<code>R0</code>	an optional equality restriction matrix acting on the coefficients defined by <code>formula</code> , for each level defined by <code>factor</code> . If <code>c</code> is the number of restrictions, <code>R0</code> is a $q0 \times c$ matrix where <code>q0</code> is the number of columns of the design matrix derived from <code>formula</code> . Together with <code>RA</code> it defines the set of equality constraints to be imposed on the vector of coefficients. Only allowed in combination with <code>var="scalar"</code> .



RA	an optional equality restriction matrix acting on the coefficients defined by <code>factor</code> , for each effect defined by <code>formula</code> . If <code>c</code> is the number of restrictions, RA is a $l \times c$ matrix where $l$ is the number of levels defined by <code>factor</code> . Together with <code>R0</code> this defines the set of equality constraints to be imposed on the vector of coefficients. If <code>constr=TRUE</code> , additional constraints are imposed, corresponding to the null-vectors of the singular precision matrix in case of an intrinsic Gaussian Markov Random Field.
constr	whether constraints corresponding to the null-vectors of the precision matrix are to be imposed on the vector of coefficients. By default this is TRUE for improper or intrinsic GMRF model components, i.e. components with a singular precision matrix such as random walks or CAR spatial components.
S0	an optional inequality restriction matrix acting on the coefficients defined by <code>formula</code> , for each level defined by <code>factor</code> . If <code>c</code> is the number of restrictions, S0 is a $q_0 \times c$ matrix where $q_0$ is the number of columns of the design matrix derived from <code>formula</code> . Together with SA it defines the set of inequality constraints to be imposed on the vector of coefficients.
SA	an optional inequality restriction matrix acting on the coefficients defined by <code>factor</code> , for each effect defined by <code>formula</code> . If <code>c</code> is the number of restrictions, SA is a $l \times c$ matrix where $l$ is the number of levels defined by <code>factor</code> . Together with S0 this defines the set of constraints to be imposed on the vector of coefficients.
formula.gl	a formula of the form <code>~glreg(...)</code> for group-level predictors around which the random effect component is hierarchically centered. See <a href="#">glreg</a> for details.
a	only used in case the effects are MLiG distributed, as assumed in case of a gamma sampling distribution, or for gaussian variance modelling. In those cases a controls how close the effects' prior is to a normal prior, see <a href="#">pr_MLiG</a> .
name	the name of the model component. This name is used in the output of the MCMC simulation function <a href="#">MCMCsim</a> . By default the name will be 'gen' with the number of the model term attached.
sparse	whether the model matrix associated with <code>formula</code> should be sparse. The default is based on a simple heuristic based on storage size.
control	a list with further computational options. These options can be specified using function <a href="#">gen_control</a> .
debug	if TRUE a breakpoint is set at the beginning of the posterior draw function associated with this model component. Mainly intended for developers.

### Value

An object with precomputed quantities and functions for sampling from prior or conditional posterior distributions for this model component. Intended for internal use by other package functions.

### References

- J. Besag and C. Kooperberg (1995). On Conditional and Intrinsic Autoregression. *Biometrika* 82(4), 733-746.
- C.M. Carvalho, N.G. Polson and J.G. Scott (2010). The horseshoe estimator for sparse signals. *Biometrika* 97(2), 465-480.

L. Fahrmeir, T. Kneib and S. Lang (2004). Penalized Structured Additive Regression for Space-Time Data: a Bayesian Perspective. *Statistica Sinica* 14, 731-761.

A. Gelman (2006). Prior distributions for variance parameters in hierarchical models. *Bayesian Analysis* 1(3), 515-533.

A. Gelman, D.A. Van Dyk, Z. Huang and W.J. Boscardin (2008). Using Redundant Parameterizations to Fit Hierarchical Models. *Journal of Computational and Graphical Statistics* 17(1), 95-122.

T. Park and G. Casella (2008). The Bayesian Lasso. *Journal of the American Statistical Association* 103(482), 681-686.

H. Rue and L. Held (2005). *Gaussian Markov Random Fields*. Chapman & Hall/CRC.

---

generate\_data

*Generate a data vector according to a model*

---

## Description

This function generates draws from the prior predictive distribution. Parameter values are drawn from their priors, and consequently data is generated from the sampling distribution given these parameter values.

## Usage

```
generate_data(
  formula,
  data = NULL,
  family = "gaussian",
  ny = NULL,
  ry = NULL,
  r.mod,
  sigma.fixed = NULL,
  sigma.mod = NULL,
  Q0 = NULL,
  formula.V = NULL,
  linpred = NULL
)
```

## Arguments

formula	A model formula, see <a href="#">create_sampler</a> . Any left-hand-side of the formula is ignored.
data	see <a href="#">create_sampler</a> .
family	sampling distribution family, see <a href="#">create_sampler</a> .
ny	see <a href="#">create_sampler</a> .
ry	see <a href="#">create_sampler</a> .
r.mod	see <a href="#">create_sampler</a> .

sigma.fixed see [create\\_sampler](#).  
 sigma.mod see [create\\_sampler](#).  
 Q0 see [create\\_sampler](#).  
 formula.V see [create\\_sampler](#).  
 linpred see [create\\_sampler](#).

### Value

A list with a generated data vector and a list of prior means of the parameters. The parameters are drawn from their priors.

### Examples

```
n <- 250
dat <- data.frame(
  x = rnorm(n),
  g = factor(sample(1:10, n, replace=TRUE)),
  ny = 10
)
gd <- generate_data(
  ~ reg(~ 1 + x, prior=pr_normal(precision=10, mean=c(0, 1)), name="beta") +
  gen(factor = ~ g, name="v"),
  family="binomial", ny="ny", data=dat
)
gd
plot(dat$x, gd$y)
```

---

gen_control	<i>Set computational options for the sampling algorithms used for a 'gen' model component</i>
-------------	---

---

### Description

Set computational options for the sampling algorithms used for a 'gen' model component

### Usage

```
gen_control(MHprop = c("GiG", "LNRW"))
```

### Arguments

MHprop MH proposal for the variance component in case of a MLiG prior on the coefficients. The two options are "GiG" for a generalized inverse gamma proposal, and "LNRW" for a log-normal random walk proposal. The former should approximate the conditional posterior quite well provided MLiG parameter  $a$  is large, such that the coefficients' prior is approximately normal.

**Value**

A list of computational options regarding a 'gen' model component.

---

get_draw	<i>Extract a list of parameter values for a single draw</i>
----------	---

---

**Description**

Extract a list of parameter values for a single draw

**Usage**

```
get_draw(obj, iter, chain)
```

**Arguments**

obj	an object of class mcdraws.
iter	iteration number.
chain	chain number.

**Value**

A list with all parameter values of draw `iter` from chain `chain`.

**Examples**

```
ex <- mcmcsae_example(n=50)
sampler <- create_sampler(ex$model, data=ex$dat)
sim <- MCMCsim(sampler, burnin=100, n.iter=300, thin=2, n.chain=4, store.all=TRUE)
get_draw(sim, iter=20, chain=3)
```

---

glog	<i>Create a model object for group-level regression effects within a generic random effects component.</i>
------	--

---

**Description**

This function is intended to be used to specify the `formula.g1` argument to the `gen` model component specification function. Group-level predictors and hierarchical centering are not used by default, and they currently cannot be used in a model component that is sampled together with another model component in the same Gibbs block.

**Usage**

```
glreg(
  formula = NULL,
  remove.redundant = FALSE,
  prior = NULL,
  Q0 = NULL,
  data = NULL,
  name = ""
)
```

**Arguments**

formula	a formula specifying the group-level predictors to be used within a model component. If no data is supplied the group-level predictors are derived as group-level means from the unit-level data passed as data argument to <a href="#">create_sampler</a> or <a href="#">generate_data</a> .
remove.redundant	whether redundant columns should be removed from the design matrix. Default is FALSE.
prior	prior specification for the group-level effects. Currently only normal priors with mean 0 can be specified, using function <a href="#">pr_normal</a> .
Q0	prior precision matrix for the group-level effects. The default is a zero matrix corresponding to a noninformative improper prior. DEPRECATED, please use argument prior instead, i.e. prior = <a href="#">pr_normal</a> (precision = Q0.value).
data	group-level data frame in which the group-level variables specified in formula are looked up.
name	the name of the model component. This name is used in the output of the MCMC simulation function <a href="#">MCMCsim</a> . By default this name will be the name of the corresponding generic random effects component appended by '_gl'.

**Value**

An object with precomputed quantities for sampling from prior or conditional posterior distributions for this model component. Only intended for internal use by other package functions.

---

GMRF_structure	<i>Set a GMRF structure for a generic model component</i>
----------------	---

---

**Description**

This function is used to specify a (non-default) GMRF structure to pass to argument `strucA` of function [gen](#).

**Usage**

```
GMRF_structure(
  type = c("default", "bym2", "leroux"),
  scale.precision = (type == "bym2"),
  prior = NULL,
  control = NULL
)
```

**Arguments**

**type** one of "default", "bym2" or "leroux". The default choice corresponds to the precision matrix  $Q_A$  as specified by argument factor of gen. Type "bym2" modifies the default structure to one with covariance matrix  $\phi\tilde{Q}_A^- + (1 - \phi)I$  where  $\tilde{Q}_A^-$  is the generalized inverse of  $Q_A$ , by default scaled such that the geometric mean of the marginal variances equals 1. Type "leroux" modifies the default structure to one with precision matrix  $\phi Q_A + (1 - \phi)I$ .

**scale.precision** whether to scale the structured precision matrix. By default set to TRUE only for type "bym2".

**prior** prior for the parameter  $\phi$  in the "bym2" or "leroux" extension. Supported priors can be set using functions `pr_fixed` or `pr_unif`.

**control** options for the Metropolis-Hastings sampler used to sample from the full conditional distribution of parameter  $\phi$  in case of "bym2" or "leroux" extensions. If NULL a reasonable default configuration is used. A user can change these settings using function `set_MH`. Supported proposal distribution types are "RWTN", "RWN", "unif" and "beta".

**Value**

An environment defining the desired GMRF structure, for use by other package functions.

**References**

- B. Leroux, X. Lei and N. Breslow (1999). Estimation of Disease Rates in Small Areas: A New Mixed Model for Spatial Dependence. In M. Halloran and D. Berry (Eds.), *Statistical Models in Epidemiology, the Environment and Clinical Trials*, 135-178.
- A. Riebler, S.H. Sorbye, D. Simpson and H. Rue (2016). An intuitive Bayesian spatial model for disease mapping that accounts for scaling. *Statistical methods in medical research*, 25(4), 1145-1165.

---

 labels

*Get and set the variable labels of a draws component object for a vector-valued parameter*

---

**Description**

Get and set the variable labels of a draws component object for a vector-valued parameter

**Usage**

```
## S3 method for class 'dc'
labels(object, ...)

labels(object) <- value
```

**Arguments**

object	a draws component object.
...	currently not used.
value	a vector of labels.

**Value**

The extractor function returns the variable labels.

**Examples**

```
ex <- mcmc_sae_example()
sampler <- create_sampler(ex$model, data=ex$dat)
sim <- MCMCsim(sampler, burnin=50, n.iter=100, n.chain=1, store.all=TRUE)
labels(sim$beta)
labels(sim$v)
labels(sim$beta) <- c("a", "b")
labels(sim$beta)
```

---

matrix-vector

*Fast matrix-vector multiplications*

---

**Description**

Functions for matrix-vector multiplies like `%*` and `crossprod`, but often faster for the matrix types supported. The return value is always a numeric vector.

**Usage**

```
M %m*v% v

crossprod_mv(M, v)
```

**Arguments**

`M` a matrix of class 'matrix', 'dgCMatrix', 'dsCMatrix', 'tabMatrix', or 'ddiMatrix'.  
`v` a numeric vector.

**Value**

For `%m*v%` the vector  $Mv$  and for `crossprod_mv` the vector  $M'v$  where  $M'$  denotes the transpose of  $M$ .

**Examples**

```
M <- matrix(rnorm(10*10), 10, 10)
x <- rnorm(10)
M %m*v% x
crossprod_mv(M, x)
M <- Matrix::rsparsematrix(100, 100, nnz=100)
x <- rnorm(100)
M %m*v% x
crossprod_mv(M, x)
```

---

maximize_log_lh_p	<i>Maximize the log-likelihood or log-posterior as defined by a sampler closure</i>
-------------------	---

---

**Description**

Maximize the log-likelihood or log-posterior as defined by a sampler closure

**Usage**

```
maximize_log_lh_p(
  sampler,
  type = c("llh", "lpost"),
  method = "BFGS",
  control = list(fnscale = -1),
  ...
)
```

**Arguments**

`sampler` sampler function closure, i.e. the return value of a call to [create\\_sampler](#).  
`type` either "llh" (default) or "lpost", for optimization of the log-likelihood, or the log-posterior, respectively.  
`method` optimization method, passed to [optim](#).  
`control` control parameters, passed to [optim](#).  
`...` other parameters passed to [optim](#).



**Value**

A list of parameter values that, provided the optimization was successful, maximize the (log-)likelihood or (log-)posterior.

**Examples**

```
n <- 1000
dat <- data.frame(
  x = rnorm(n),
  f = factor(sample(1:50, n, replace=TRUE))
)
df <- generate_data(
  ~ reg(~x, name="beta", prior=pr_normal(precision=1)) + gen(~x, factor=~f, name="v"),
  sigma.fixed=TRUE, data=dat
)
dat$y <- df$y
sampler <- create_sampler(y ~ x + gen(~x, factor=~f, name="v"), data=dat)
opt <- maximize_log_lh_p(sampler)
str(opt)
plot(df$par$v, opt$par$v); abline(0, 1, col="red")
```

---

MCMC-diagnostics

*Compute MCMC diagnostic measures*


---

**Description**

`R_hat` computes Gelman-Rubin convergence diagnostics based on the MCMC output in a model component, and `n_eff` computes the effective sample sizes, i.e. estimates for the number of independent samples from the posterior distribution.

**Usage**

```
R_hat(dc)
```

```
n_eff(dc, useFFT = TRUE, lag.max, cl = NULL)
```

**Arguments**

<code>dc</code>	a draws component ( <code>dc</code> ) object corresponding to a model parameter.
<code>useFFT</code>	whether to use the Fast Fourier Transform algorithm. Default is <code>TRUE</code> as this is typically faster.
<code>lag.max</code>	the lag up to which autocorrelations are computed in case <code>useFFT=FALSE</code> .
<code>cl</code>	a cluster for parallel computation.

**Value**

In case of `R_hat` the split-R-hat convergence diagnostic for each component of the vector parameter, and in case of `n_eff` the effective number of independent samples for each component of the vector parameter.

**References**

A. Gelman and D. B. Rubin (1992). Inference from Iterative Simulation Using Multiple Sequences. *Statistical Science* 7, 457-511.

A. Gelman, J.B. Carlin, H.S. Stern, D.B. Dunson, A. Vehtari and D.B. Rubin (2013). *Bayesian Data Analysis*, 3rd edition. Chapman & Hall/CRC.

**Examples**

```
ex <- mcmcsae_example()
sampler <- create_sampler(ex$model, data=ex$dat)
sim <- MCMCsim(sampler, burnin=100, n.iter=300, thin=2, n.chain=4, store.all=TRUE)
n_eff(sim$beta)
n_eff(sim$v_sigma)
n_eff(sim$v_rho)
R_hat(sim$beta)
R_hat(sim$llh_)
R_hat(sim$v_sigma)
```

---

MCMC-object-conversion

*Convert a draws component object to another format*

---

**Description**

Use `to_mcmc` to convert a draws component to class `mcmc.list`, allowing one to use MCMC diagnostic functions provided by package `coda`. Use `as.array` to convert to an array of dimension (draws, chains, parameters). The array format is supported by some packages for analysis or visualisation of MCMC simulation results, e.g. `bayesplot`. Use `as.matrix` to convert to a matrix, concatenating the chains. Finally, use `to_draws_array` to convert either a draws component or (a subset of components of) an `mcdraws` object to a `draws_array` object as defined in package `posterior`.

**Usage**

```
to_mcmc(x)

to_draws_array(x, components = NULL)

## S3 method for class 'dc'
```

```
as.array(x, ...)

## S3 method for class 'dc'
as.matrix(x, colnames = TRUE, ...)
```

### Arguments

x	a component of an <code>mcdraws</code> object corresponding to a scalar or vector model parameter.
components	optional character vector of names of draws components in an <code>mcdraws</code> object. This can be used to select a subset of components to convert to <code>draws_array</code> format.
...	currently ignored.
colnames	whether column names should be set.

### Value

The draws component(s) coerced to an `mcmc.list` object, a `draws_array` object, an array, or a matrix.

### Examples

```
data(iris)
sampler <- create_sampler(Sepal.Length ~ reg(~ Petal.Length + Species, name="beta"), data=iris)
sim <- MCMCsim(sampler, burnin=100, n.chain=2, n.iter=400)
summary(sim)
if (require("coda", quietly=TRUE)) {
  mcbeta <- to_mcmc(sim$beta)
  geweke.diag(mcbeta)
}
if (require("posterior", quietly=TRUE)) {
  mcbeta <- to_draws_array(sim$beta)
  mcbeta
  draws <- to_draws_array(sim)
  str(draws)
}
str(as.array(sim$beta))
str(as.matrix(sim$beta))

# generate some example data
n <- 250
dat <- data.frame(x=runif(n), f=as.factor(sample(1:5, n, replace=TRUE)))
gd <- generate_data(~ reg(~ x + f, prior=pr_normal(precision=1), name="beta"), data=dat)
dat$y <- gd$y
sampler <- create_sampler(y ~ reg(~ x + f, name="beta"), data=dat)
sim <- MCMCsim(sampler, n.chain=2, n.iter=400)
str(sim$beta)
str(as.array(sim$beta))
bayesplot::mcmc_hist(as.array(sim$beta))
bayesplot::mcmc_dens_overlay(as.array(sim$beta))
# fake data simulation check:
```

```
bayesplot::mcmc_recover_intervals(as.array(sim$beta), gd$pars$beta)
bayesplot::mcmc_recover_hist(as.array(sim$beta), gd$pars$beta)

ex <- mcmcsae_example()
plot(ex$dat$fT, ex$dat$y)
sampler <- create_sampler(ex$model, data=ex$dat)
sim <- MCMCsim(sampler, n.chain=2, n.iter=400, store.all=TRUE)
str(sim$beta)
str(as.matrix(sim$beta))
# fake data simulation check:
bayesplot::mcmc_recover_intervals(as.matrix(sim$beta), ex$pars$beta)
bayesplot::mcmc_recover_intervals(as.matrix(sim$u), ex$pars$u)
```

---

mcmcsae_example	<i>Generate artificial data according to an additive spatio-temporal model</i>
-----------------	--

---

## Description

This function is used to generate data for several examples.

## Usage

```
mcmcsae_example(n = 100L, family = "gaussian")
```

## Arguments

n	the size of the generated dataset.
family	sampling distribution family, see <a href="#">create_sampler</a> .

## Value

A list containing the generated dataset, the values of the model parameters, and the model specification as a formula.

## Examples

```
ex <- mcmcsae_example()
str(ex)
```

## Description

Given a sampler object this function runs a MCMC simulation and stores the posterior draws. A sampler object for a wide class of multilevel models can be created using `create_sampler`, but users can also define their own sampler functions, see below. `MCMCsim` allows to choose the parameters for which simulation results must be stored. It is possible to define derived quantities that will also be stored. To save memory, it is also possible to only store Monte Carlo means/standard errors for some large vector parameters, say. Another way to use less memory is to save the simulation results of large vector parameters to file. For parameters specified in `plot.trace` trace plots or pair plots of multiple parameters are displayed during the simulation.

## Usage

```
MCMCsim(  
  sampler,  
  from.prior = FALSE,  
  n.iter = 1000L,  
  n.chain = 3L,  
  thin = 1L,  
  burnin = if (from.prior) 0L else 250L,  
  start = NULL,  
  store,  
  store.all = FALSE,  
  pred = NULL,  
  store.mean,  
  store.sds = FALSE,  
  to.file = NULL,  
  filename = "MCdraws_",  
  write.single.prec = FALSE,  
  verbose = TRUE,  
  n.progress = n.iter%%10L,  
  trace.convergence = NULL,  
  stop.on.convergence = FALSE,  
  convergence.bound = 1.05,  
  plot.trace = NULL,  
  add.to.plot = TRUE,  
  plot.type = "1",  
  n.cores = 1L,  
  cl = NULL,  
  seed = NULL,  
  export = NULL  
)
```

**Arguments**

<code>sampler</code>	sampler object created by <code>create_sampler</code> .
<code>from.prior</code>	whether to sample from the prior. By default <code>from.prior=FALSE</code> and samples are taken from the posterior.
<code>n.iter</code>	number of draws after burnin.
<code>n.chain</code>	number of independent chains.
<code>thin</code>	only every <code>thin</code> 'th draw is kept.
<code>burnin</code>	number of draws to discard at the beginning of each chain.
<code>start</code>	an optional function to generate starting values or a list containing for each chain a named list of starting values. It may be used to provide starting values for some or all parameters. The sampler object's own start function, if it exists, is called to generate any starting values not provided by the user.
<code>store</code>	vector of names of parameters to store MCMC draws for. By default, simulations are stored for all parameters returned by <code>sampler\$store_default</code> .
<code>store.all</code>	if TRUE simulation vectors of all parameters returned by the sampling function of <code>sampler</code> will be stored. The default is FALSE, and in that case only simulations for the parameters named in <code>store</code> are stored.
<code>pred</code>	list of character strings defining derived quantities to be computed (and stored) for each draw.
<code>store.mean</code>	vector of names of parameters for which only the mean (per chain) is to be stored. This may be useful for large vector parameters (e.g. regression residuals) for which storing complete MCMC output would use too much memory. The function <code>sampler\$store_mean_default</code> exists it provides the default.
<code>store.sds</code>	if TRUE store for all parameters in <code>store.mean</code> , besides the mean, also the standard deviation. Default is FALSE.
<code>to.file</code>	vector of names of parameters to write to file.
<code>filename</code>	name of file to write parameter draws to. Each named parameter is written to a separate file, named <code>filename_parametername</code> .
<code>write.single.prec</code>	Whether to write to file in single precision. Default is FALSE.
<code>verbose</code>	if FALSE no output is sent to the screen during the simulation. TRUE by default.
<code>n.progress</code>	update diagnostics and plots after so many iterations.
<code>trace.convergence</code>	vector of names of parameters for which Gelman-Rubin R-hat diagnostics are printed to the screen every <code>n.progress</code> iterations.
<code>stop.on.convergence</code>	if TRUE stop the simulation if the R-hat diagnostics for all parameters in <code>trace.convergence</code> are less than <code>convergence.bound</code> .
<code>convergence.bound</code>	threshold used with <code>stop.on.convergence</code> .
<code>plot.trace</code>	character vector of parameter names for which to plot draws during the simulation. For one or two parameters trace plots will be shown, and if more parameters are specified the results will be displayed in a pairs plot. For vector parameters a specific component can be selected using brackets, e.g. <code>"beta[2]"</code> .

<code>add.to.plot</code>	if TRUE the plot is updated every <code>n.progress</code> iterations, otherwise a new plot (with new scales) is created after every <code>n.progress</code> iterations.
<code>plot.type</code>	default is "l" (lines).
<code>n.cores</code>	the number of cpu cores to use. Default is 1, i.e. no parallel computation. If an existing cluster <code>cl</code> is provided, <code>n.cores</code> will be set to the number of workers in that cluster.
<code>cl</code>	an existing cluster can be passed for parallel computation. If NULL and <code>n.cores &gt; 1</code> , a new cluster is created.
<code>seed</code>	a random seed (integer). For parallel computation it is used to independently seed RNG streams for all workers.
<code>export</code>	a character vector with names of objects to export to the workers. This may be needed for parallel execution if expressions in <code>pred</code> depend on global variables.

### Details

A sampler object is an environment containing data and functions to use for sampling. The following elements of the sampler object are used by MCMCsim:

**start** function to generate starting values.

**draw** function to draw samples, typically from a full conditional posterior distribution.

**rprior** function to draw from a prior distribution.

**coef.names** list of vectors of parameter coefficient names, for vector parameters.

**MHpars** vector of names of parameters that are sampled using a Metropolis-Hastings (MH) sampler; acceptance rates are kept for these parameters.

**adapt** function of acceptance rates of `MHpars` to adapt MH-kernel, called every 100 iterations during the burn-in period.

### Value

An object of class `mcdraws` containing posterior draws as well as some meta information.

### Examples

```
# 1. create a sampler function
sampler <- new.env()
sampler$draw <- function(p) list(x=rnorm(1L), y=runif(1L))
# 2. do the simulation
sim <- MCMCsim(sampler, store=c("x", "y"))
str(sim)
summary(sim)

# example that requires start values or a start function
sampler$draw <- function(p) list(x=rnorm(1L), y=p$x * runif(1L))
sampler$start <- function(p) list(x=rnorm(1L), y=runif(1L))
sim <- MCMCsim(sampler, store=c("x", "y"))
summary(sim)
plot(sim, c("x", "y"))
```

```
# example using create_sampler; first generate some data
n <- 100
dat <- data.frame(x=runif(n), f=as.factor(sample(1:4, n, replace=TRUE)))
gd <- generate_data(~ reg(~ x + f, prior=pr_normal(precision=1), name="beta"), data=dat)
dat$y <- gd$y
sampler <- create_sampler(y ~ x + f, data=dat)
sim <- MCMCsim(sampler, burnin=100, n.iter=400, n.chain=2)
(summary(sim))
gd$pars
```

---

mc_offset	<i>Create a model component object for an offset, i.e. fixed, non-parametrized term in the linear predictor</i>
-----------	---

---

## Description

This function is intended to be used on the right hand side of the formula argument to [create\\_sampler](#) or [generate\\_data](#).

## Usage

```
mc_offset(formula, value = NULL, name = "")
```

## Arguments

formula	model formula.
value	alternative specification of an offset as a single scalar value that is the same for each data unit.
name	the name of the model component. This name is used in the output of the MCMC simulation function <a href="#">MCMCsim</a> . By default the name will be 'mc_offset' with the number of the model term attached.

## Value

An model component object with data and methods needed for dealing with an offset term in model estimation, and prior and posterior prediction. Intended for internal use by other package functions.



---

mec	<i>Create a model component object for a regression (fixed effects) component in the linear predictor with measurement errors in quantitative covariates</i>
-----	--

---

## Description

This function is intended to be used on the right hand side of the formula argument to [create\\_sampler](#) or [generate\\_data](#). It creates an additive regression term in the model's linear predictor. Covariates are assumed to be measured subject to normally distributed errors with zero mean and variance specified using the formula or V arguments. Note that this means that formula should only contain quantitative variables, and no intercept. By default, the prior for the regression coefficients is improper uniform. A proper normal prior can be set up using function [pr\\_normal](#), and passed to argument prior. It should be noted that [pr\\_normal](#) expects a precision matrix as input for its second argument, and that the prior variance (matrix) is taken to be the inverse of this precision matrix, where in case the model's family is "gaussian" this matrix is additionally multiplied by the residual scalar variance parameter  $\sigma^2$ .

## Usage

```
mec(
  formula = ~1,
  sparse = NULL,
  X = NULL,
  V = NULL,
  prior = NULL,
  Q0 = NULL,
  b0 = NULL,
  R = NULL,
  r = NULL,
  S = NULL,
  s = NULL,
  lower = NULL,
  upper = NULL,
  name = "",
  debug = FALSE
)
```

## Arguments

formula	a formula specifying the predictors subject to measurement error and possibly their variances as well. In the latter case the formula syntax $\sim (x1   V.x1) + (x2   V.x2) + \dots$ should be used where $x1, x2, \dots$ are the names of (quantitative) predictors and $V.x1, V.x2, \dots$ are the names of the variables holding the corresponding measurement error variances. If only the predictors are specified the formula has the usual form $\sim x1 + x2 + \dots$ . In that case variances should be specified using argument V. All variable names are looked up in the
---------	---

	data frame passed as data argument to <code>create_sampler</code> or <code>generate_data</code> , or in <code>environment(formula)</code> .
<code>sparse</code>	whether the model matrix associated with <code>formula</code> should be sparse. The default is to base this on a simple heuristic.
<code>X</code>	a (possibly sparse) design matrix can be specified directly, as an alternative to the creation of one based on <code>formula</code> . If <code>X</code> is specified <code>formula</code> is ignored.
<code>V</code>	measurement error variance; can contain zeros
<code>prior</code>	prior specification for the regression coefficients. Currently only normal priors are supported, specified using function <code>pr_normal</code> .
<code>Q0</code>	prior precision matrix for the regression effects. The default is a zero matrix corresponding to a noninformative improper prior. It can be specified as a scalar value, as a numeric vector of appropriate length, or as a matrix object. DEPRECATED, please use argument <code>prior</code> instead, i.e. <code>prior = pr_normal(mean = b0.value, precision = Q0.value)</code> .
<code>b0</code>	prior mean for the regression effect. Defaults to a zero vector. It can be specified as a scalar value or as a numeric vector of appropriate length. DEPRECATED, please use argument <code>prior</code> instead, i.e. <code>prior = pr_normal(mean = b0.value, precision = Q0.value)</code> .
<code>R</code>	optional constraint matrix for equality restrictions $R'x = r$ where $x$ is the vector of regression effects.
<code>r</code>	right hand side for the equality constraints.
<code>S</code>	optional constraint matrix for inequality constraints $S'x \geq s$ where $x$ is the vector of regression effects.
<code>s</code>	right hand side for the inequality constraints.
<code>lower</code>	as an alternative to <code>s</code> , <code>lower</code> and <code>upper</code> may be specified for two-sided constraints $lower \leq S'x \leq upper$ .
<code>upper</code>	as an alternative to <code>s</code> , <code>lower</code> and <code>upper</code> may be specified for two-sided constraints $lower \leq S'x \leq upper$ .
<code>name</code>	the name of the model component. This name is used in the output of the MCMC simulation function <code>MCMCsim</code> . By default the name will be 'reg' with the number of the model term attached.
<code>debug</code>	if TRUE a breakpoint is set at the beginning of the posterior draw function associated with this model component. Mainly intended for developers.

### Value

An object with precomputed quantities and functions for sampling from prior or conditional posterior distributions for this model component. Intended for internal use by other package functions.

### References

- L.M. Ybarra and S.L. Lohr (2008). Small area estimation when auxiliary information is measured with error. *Biometrika* 95(4), 919-931.
- S. Arima, G.S. Datta and B. Liseo (2015). Bayesian estimators for small area models when auxiliary information is measured with error. *Scandinavian Journal of Statistics* 42(2), 518-529.

**Examples**

```

# example of Ybarra and Lohr (2008)
m <- 50
X <- rnorm(m, mean=5, sd=3) # true covariate values
v <- rnorm(m, sd=2)
theta <- 1 + 3*X + v # true values
psi <- rgamma(m, shape=4.5, scale=2)
e <- rnorm(m, sd=sqrt(psi)) # sampling error
y <- theta + e # direct estimates
C <- c(rep(3, 10), rep(0, 40)) # measurement error for first 10 values
W <- X + rnorm(m, sd=sqrt(C)) # covariate subject to measurement error

# fit Ybarra-Lohr model
sampler <- create_sampler(
  y ~ 1 + mec(~ 0 + W, V=C) + gen(factor=~local_),
  Q0=1/psi, sigma.fixed=TRUE, linpred="fitted"
)
sim <- MCMCsim(sampler, n.iter=800, n.chain=2, store.all=TRUE, verbose=FALSE)
(summ <- summary(sim))
plot(X, W, xlab="true X", ylab="inferred X")
points(X, summ$mec2_X[, "Mean"], col="green")
abline(0, 1, col="red")
legend("topleft", legend=c("prior mean", "posterior mean"), col=c("black", "green"), pch=c(1,1))

```

---

model-information-criteria

*Compute DIC, WAIC and leave-one-out cross-validation model measures*

---

**Description**

Compute the Deviance Information Criterion (DIC) or Watanabe-Akaike Information Criterion (WAIC) from an object of class `mcdraws` output by `MCMCsim`. Method `waic.mcdraws` computes WAIC using package `loo`. Method `loo.mcdraws` also depends on package `loo` to compute a Pareto-smoothed importance sampling (PSIS) approximation to leave-one-out cross-validation.

**Usage**

```
compute_DIC(x, use.pV = FALSE)
```

```
compute_WAIC(
  x,
  diagnostic = FALSE,
  batch.size = NULL,
  show.progress = TRUE,
  cl = NULL,

```

```

    n.cores = 1L
  )

  ## S3 method for class 'mcdraws'
  waic(x, by.unit = FALSE, ...)

  ## S3 method for class 'mcdraws'
  loo(x, by.unit = FALSE, r_eff = FALSE, n.cores = 1L, ...)

```

### Arguments

<code>x</code>	an object of class <code>mcdraws</code> .
<code>use.pv</code>	whether half the posterior variance of the deviance should be used as an alternative estimate of the effective number of model parameters for DIC.
<code>diagnostic</code>	whether vectors of log-pointwise-predictive-densities and pointwise contributions to the WAIC effective number of model parameters should be returned.
<code>batch.size</code>	number of data units to process per batch.
<code>show.progress</code>	whether to show a progress bar.
<code>cl</code>	an existing cluster can be passed for parallel computation. If <code>cl</code> is provided, <code>n.cores</code> will be set to the number of workers in that cluster. If <code>NULL</code> and <code>n.cores &gt; 1</code> , a new cluster is created.
<code>n.cores</code>	the number of cpu cores to use. Default is one, i.e. no parallel computation.
<code>by.unit</code>	if <code>TRUE</code> the computation is carried out unit-by-unit, which is slower but uses much less memory.
<code>...</code>	Other arguments, passed to <code>loo</code> . Not currently used by <code>waic.mcdraws</code> .
<code>r_eff</code>	whether to compute relative effective sample size estimates for the likelihood of each observation. This takes more time, but should result in a better PSIS approximation. See <code>loo</code> .

### Value

For `compute_DIC` a vector with the deviance information criterion and effective number of model parameters. For `compute_WAIC` a vector with the WAIC model selection criterion and WAIC effective number of model parameters. Method `waic` returns an object of class `waic`, `loo`, see the documentation for `waic` in package `loo`. Method `loo` returns an object of class `psis_loo`, see `loo`.

### References

- D. Spiegelhalter, N. Best, B. Carlin and A. van der Linde (2002). Bayesian Measures of Model Complexity and Fit. *Journal of the Royal Statistical Society B* 64 (4), 583-639.
- S. Watanabe (2010). Asymptotic equivalence of Bayes cross validation and widely applicable information criterion in singular learning theory. *Journal of Machine Learning* 11, 3571-3594.
- A. Gelman, J. Hwang and A. Vehtari (2014). Understanding predictive information criteria for Bayesian models. *Statistics and Computing* 24, 997-1016.
- A. Vehtari, D. Simpson, A. Gelman, Y. Yao and J. Gabry (2015). Pareto smoothed importance sampling. [arXiv:1507.02646](https://arxiv.org/abs/1507.02646).

A. Vehtari, A. Gelman and J. Gabry (2017). Practical Bayesian model evaluation using leave-one-out cross-validation and WAIC. *Statistics and Computing* 27, 1413-1432.

P.-C. Buerkner, J. Gabry and A. Vehtari (2021). Efficient leave-one-out cross-validation for Bayesian non-factorized normal and Student-t models. *Computational Statistics* 36, 1243-1261.

### Examples

```
ex <- mcmc_sae_example(n=100)
sampler <- create_sampler(ex$model, data=ex$dat)
sim <- MCMCsim(sampler, burnin=100, n.iter=300, n.chain=4, store.all=TRUE)
compute_DIC(sim)
compute_WAIC(sim)
if (require(loo)) {
  waic(sim)
  loo(sim, r_eff=TRUE)
}
```

---

model\_matrix

*Compute possibly sparse model matrix*

---

### Description

Compute possibly sparse model matrix

### Usage

```
model_matrix(  
  formula,  
  data = NULL,  
  contrasts.arg = NULL,  
  drop.unused.levels = FALSE,  
  sparse = NULL,  
  drop0 = TRUE,  
  catsep = "",  
  by = NULL,  
  tabM = FALSE  
)
```

### Arguments

formula	model formula.
data	data frame containing all variables used in formula. These variables should not contain missing values. An error is raised in case any of them does.

contrasts.arg	specification of contrasts for factor variables. Currently supported are "contr.none" (no contrasts applied), "contr.treatment" (first level removed) and "contr.SAS" (last level removed). Alternatively, a named list specifying a single level per factor variable can be passed.
drop.unused.levels	whether empty levels of individual factor variables should be removed.
sparse	if TRUE a sparse matrix of class dgCMatrix is returned. This can be efficient for large datasets and a model containing categorical variables with many categories. If sparse=NULL, the default, whether a sparse or dense model matrix is returned is based on a simple heuristic.
drop0	whether to drop any remaining explicit zeros in resulting sparse matrix.
catsep	separator for concatenating factor variable names and level names. By default it is the empty string, reproducing the labels of model.matrix.
by	a vector by which to aggregate the result.
tabM	if TRUE return a list of tabMatrix objects.

**Value**

Design matrix X, either an ordinary matrix or a sparse dgCMatrix.

---

n\_chains-n\_draws-n\_vars

*Get the number of chains, samples per chain or the number of variables in a simulation object*

---

**Description**

Get the number of chains, samples per chain or the number of variables in a simulation object

**Usage**

n\_chains(obj)

n\_draws(obj)

n\_vars(dc)

**Arguments**

obj an mcdrws object or a draws component (dc) object.

dc a draws component object.

**Value**

The number of chains or retained samples per chain or the number of variables.

**Examples**

```
ex <- mcmcsae_example(n=50)
sampler <- create_sampler(ex$model, data=ex$dat)
sim <- MCMCsim(sampler, burnin=100, n.iter=300, thin=2, n.chain=5, store.all=TRUE)
n_chains(sim); n_chains(sim$beta)
n_draws(sim); n_draws(sim$beta)
n_vars(sim$beta); n_vars(sim$sigma_); n_vars(sim$llh_); n_vars(sim$v)
plot(sim, "beta")
n_chains(subset(sim$beta, chains=1:2))
n_draws(subset(sim$beta, draws=sample(1:n_draws(sim), 100)))
n_vars(subset(sim$u, vars=1:2))
```

---

par\_names

*Get the parameter names from an mcdraws object*

---

**Description**

Get the parameter names from an mcdraws object

**Usage**

```
par_names(obj)
```

**Arguments**

obj                    an mcdraws object.

**Value**

The names of the parameters whose MCMC simulations are stored in obj.

**Examples**

```
data(iris)
sampler <- create_sampler(Sepal.Length ~
  reg(~ Petal.Length + Species, name="beta"), data=iris)
sim <- MCMCsim(sampler, burnin=100, n.iter=400)
(summary(sim))
par_names(sim)
```

---

plot.dc	<i>Trace, density and autocorrelation plots for (parameters of a) draws component (dc) object</i>
---------	---

---

**Description**

Trace, density and autocorrelation plots for (parameters of a) draws component (dc) object

**Usage**

```
## S3 method for class 'dc'
plot(x, nrows, ncols, ask = FALSE, ...)
```

**Arguments**

x	a draws component object.
nrows	number of rows in plot layout.
ncols	number of columns in plot layout.
ask	ask before plotting the next page; default is FALSE.
...	arguments passed to <a href="#">density</a> .

**Examples**

```
ex <- mcmcsae_example(n=50)
sampler <- create_sampler(ex$model, data=ex$dat)
sim <- MCMCsim(sampler, store.all=TRUE)
plot(sim$u)
```

---

plot.mcdraws	<i>Trace, density and autocorrelation plots</i>
--------------	---

---

**Description**

Trace, density and autocorrelation plots for selected components of an mcdraws object.

**Usage**

```
## S3 method for class 'mcdraws'
plot(x, vnames, nrows, ncols, ask = FALSE, ...)
```



**Arguments**

x	an object of class mcdraws.
vnames	optional character vector to select a subset of parameters.
nrows	number of rows in plot layout.
ncols	number of columns in plot layout.
ask	ask before plotting the next page; default is FALSE.
...	arguments passed to <a href="#">density</a> .

**Examples**

```
ex <- mcmcsae_example(n=50)
sampler <- create_sampler(ex$model, data=ex$dat)
sim <- MCMCsim(sampler, store.all=TRUE)
plot(sim, c("beta", "u", "u_sigma", "v_sigma"), ask=TRUE)
```

---

plot_coef	<i>Plot a set of model coefficients or predictions with uncertainty intervals based on summaries of simulation results or other objects.</i>
-----------	--

---

**Description**

This function plots estimates with error bars. Multiple sets of estimates can be compared. The error bars can either be based on standard errors or on explicitly specified lower and upper bounds. The function is adapted from function `plot.sae` in package **hbsae**, which in turn was adapted from function `coefplot.default` from package **arm**.

**Usage**

```
plot_coef(
  ...,
  n.se = 1,
  est.names,
  sort.by = NULL,
  decreasing = FALSE,
  index = NULL,
  maxrows = 50L,
  maxcols = 6L,
  offset = 0.1,
  cex.var = 0.8,
  mar = c(0.1, 2.1, 5.1, 0.1)
)
```

**Arguments**

...	dc_summary objects (output by the summary method for simulation objects of class dc), sae objects (output by the functions of package <b>hbsae</b> ), or lists. In case of a list the components used are those with name est for point estimates, se for standard error based intervals or lower and upper for custom intervals. Instead of dc_summary objects matrix objects are also supported as long as they contain columns named "Mean" and "SD" as do dc_summary objects. Named parameters of other types that do not match any other argument names are passed to lower-level plot functions.
n.se	number of standard errors below and above the point estimates to use for error bars. By default equal to 1. This only refers to the objects of class dc_summary and sae.
est.names	labels to use in the legend for the components of the ... argument
sort.by	vector by which to sort the coefficients, referring to the first object passed.
decreasing	if TRUE, sort in decreasing order (default).
index	vector of names or indices of the selected areas to be plotted.
maxrows	maximum number of rows in a column.
maxcols	maximum number of columns of estimates on a page.
offset	space used between plots of multiple estimates for the same area.
cex.var	the font size for the variable names, default=0.8.
mar	a numerical vector of the form c(bottom, left, top, right), specifying the number of lines of margin on each of the four sides of the plot.

**Examples**

```
# create artificial data
set.seed(21)
n <- 100
dat <- data.frame(
  x=runif(n),
  f=factor(sample(1:20, n, replace=TRUE))
)
model <- ~ reg(~ x, prior=pr_normal(precision=1), name="beta") + gen(factor=~f, name="v")
gd <- generate_data(model, data=dat)
dat$y <- gd$y
# fit a base model
model0 <- y ~ reg(~ 1, name="beta") + gen(factor=~f, name="v")
sampler <- create_sampler(model0, data=dat)
sim <- MCMCsim(sampler, store.all=TRUE)
(summ0 <- summary(sim))
# fit 'true' model
model <- y ~ reg(~ x, name="beta") + gen(factor=~f, name="v")
sampler <- create_sampler(model, data=dat)
sim <- MCMCsim(sampler, store.all=TRUE)
(summ <- summary(sim))
# compare random effect estimates against true parameter values
plot_coef(summ0$v, summ$v, list(est=gd$pars$v), n.se=2, offset=0.2,
```

```
maxrows=10, est.names=c("base model", "true model", "true"))
```

---

posterior-moments	<i>Get means or standard deviations of parameters from the MCMC output in an mcdraws object</i>
-------------------	---

---

### Description

Get means or standard deviations of parameters from the MCMC output in an mcdraws object

### Usage

```
get_means(obj, vnames = NULL)
```

```
get_sds(obj, vnames = NULL)
```

### Arguments

obj	an object of class mcdraws.
vnames	optional character vector to select a subset of parameters.

### Value

A list with simulation means or standard deviations.

### Examples

```
ex <- mcmcsae_example(n=50)
sampler <- create_sampler(ex$model, data=ex$dat)
sim <- MCMCsim(sampler, burnin=100, n.iter=300, thin=2, n.chain=4)
get_means(sim)
get_means(sim, "e_")
sim <- MCMCsim(sampler, burnin=100, n.iter=300, thin=2, n.chain=4,
  store.mean=c("beta", "u"), store.sds=TRUE)
summary(sim, "beta")
get_means(sim, "beta")
get_sds(sim, "beta")
get_means(sim, "u")
get_sds(sim, "u")
```

---

predict.mcdraws      *Generate draws from the predictive distribution*

---

## Description

Generate draws from the predictive distribution

## Usage

```
## S3 method for class 'mcdraws'
predict(
  object,
  newdata = NULL,
  X. = if (is.null(newdata)) "in-sample" else NULL,
  type = c("data", "link", "response", "data_cat"),
  var = NULL,
  ny = NULL,
  ry = NULL,
  fun. = identity,
  labels = NULL,
  ppcheck = FALSE,
  iters = NULL,
  to.file = FALSE,
  filename,
  write.single.prec = FALSE,
  show.progress = TRUE,
  verbose = TRUE,
  n.cores = 1L,
  cl = NULL,
  seed = NULL,
  export = NULL,
  ...
)
```

## Arguments

object	an object of class <code>mcdraws</code> , as output by <code>MCMCsim</code> .
newdata	data frame with auxiliary information to be used for prediction.
X.	a list of design matrices; alternatively, <code>X.</code> equals <code>'in-sample'</code> or <code>'linpred'</code> . If <code>'in-sample'</code> (the default if <code>newdata</code> is not supplied), the design matrices for in-sample prediction are used. If <code>'linpred'</code> the <code>'linpred_'</code> component of <code>object</code> is used.
type	the type of predictions. The default is <code>"data"</code> , meaning that new data is generated according to the predictive distribution. If <code>type="link"</code> only the linear predictor for the mean is generated, and in case <code>type="response"</code> the linear predictor is transformed to the response scale. For Gaussian models <code>type="link"</code> and

type="response" are equivalent. For binomial and negative binomial models type="response" returns the simulations of the latent probabilities. For multinomial models type="link" generates the linear predictor for all categories except the last, and type="response" transforms this vector to the probability scale, and type="data" generates the multinomial data, all in long vector format, where the output for all categories (except the last) are stacked. For multinomial models and single trials, a further option is type="data\_cat", which generates the data as a categorical vector, with integer coded levels.

var	variance(s) used for out-of-sample prediction. By default 1.
ny	number of trials used for out-of-sample prediction in case of a binomial model. By default 1.
ry	fixed part of the (reciprocal) dispersion parameter in case of a negative binomial model.
fun.	function applied to the vector of posterior predictions to compute one or multiple summaries or test statistics. The function can have one or two arguments. The first argument is always the vector of posterior predictions. The optional second argument represents a list of model parameters, needed only when a test statistic depends on them. The function must return an integer or numeric vector.
labels	optional names for the output object. Must be a vector of the same length as the result of fun..
ppcheck	if TRUE, function fun. is also applied to the observed data and an MCMC approximation is computed of the posterior predictive probability that the test statistic for predicted data is greater than the test statistic for the observed data.
iters	iterations in object to use for prediction. Default NULL means that all draws from object are used.
to.file	if TRUE the predictions are streamed to file.
filename	name of the file to write predictions to in case to.file=TRUE.
write.single.prec	Whether to write to file in single precision. Default is FALSE.
show.progress	whether to show a progress bar.
verbose	whether to show informative messages.
n.cores	the number of cpu cores to use. Default is one, i.e. no parallel computation. If an existing cluster cl is provided, n.cores will be set to the number of workers in that cluster.
cl	an existing cluster can be passed for parallel computation. If NULL and n.cores > 1, a new cluster is created.
seed	a random seed (integer). For parallel computation it is used to independently seed RNG streams for all workers.
export	a character vector with names of objects to export to the workers. This may be needed for parallel execution if expressions in fun. depend on global variables.
...	currently not used.

**Value**

An object of class dc, containing draws from the posterior (or prior) predictive distribution. If ppcheck=TRUE posterior predictive p-values are returned as an additional attribute. In case to.file=TRUE the file name used is returned.

**Examples**

```
n <- 250
dat <- data.frame(x=runif(n))
dat$y <- 1 + dat$x + rnorm(n)
sampler <- create_sampler(y ~ x, data=dat)
sim <- MCMCsim(sampler)
summary(sim)
# in-sample prediction
pred <- predict(sim, ppcheck=TRUE)
hist(attr(pred, "ppp"))
# out-of-sample prediction
pred <- predict(sim, newdata=data.frame(x=seq(0, 1, by=0.1)))
summary(pred)
```

---

<code>print.dc_summary</code>	<i>Display a summary of a dc object</i>
-------------------------------	---

---

**Description**

Display a summary of a dc object

**Usage**

```
## S3 method for class 'dc_summary'
print(
  x,
  digits = 3L,
  max.lines = 1000L,
  tail = FALSE,
  sort = NULL,
  max.label.length = NULL,
  ...
)
```

**Arguments**

<code>x</code>	an object of class dc_summary.
<code>digits</code>	number of digits to use, defaults to 3.
<code>max.lines</code>	maximum number of lines to display. If NULL, all elements are displayed.

tail           if TRUE the last instead of first at most max.lines are displayed.  
 sort           column name on which to sort the output.  
 max.label.length   if specified, printed row labels will be abbreviated to at most this length.  
 ...            passed on to print.default.

### Examples

```
ex <- mcmcsae_example()
sampler <- create_sampler(ex$model, data=ex$dat)
sim <- MCMCsim(sampler, store.all=TRUE)
print(summary(sim$u), sort="n_eff")
```

---

print.mcdraws\_summary *Print a summary of MCMC simulation results*

---

### Description

Display a summary of an mcdraws object, as output by [MCMCsim](#).

### Usage

```
## S3 method for class 'mcdraws_summary'
print(x, digits = 3L, max.lines = 10L, tail = FALSE, sort = NULL, ...)
```

### Arguments

x            an object of class mcdraws\_summary as output by [summary.mcdraws](#).  
 digits       number of digits to use, defaults to 3.  
 max.lines   maximum number of elements per vector parameter to display. If NULL, all elements are displayed.  
 tail        if TRUE the last instead of first max.lines of each component are displayed.  
 sort        column name on which to sort the output.  
 ...         passed on to print.default.

### Examples

```
ex <- mcmcsae_example()
sampler <- create_sampler(ex$model, data=ex$dat)
sim <- MCMCsim(sampler, store.all=TRUE)
print(summary(sim), sort="n_eff")
```

---

pr_beta	<i>Create an object representing beta prior distributions</i>
---------	---

---

**Description**

Create an object representing beta prior distributions

**Usage**

```
pr_beta(a = 1, b = 1)
```

**Arguments**

a	positive shape parameter.
b	positive shape parameter.

**Value**

An environment representing the specified prior, for internal use.

---

pr_exp	<i>Create an object representing exponential prior distributions</i>
--------	--

---

**Description**

Create an object representing exponential prior distributions

**Usage**

```
pr_exp(scale = 1)
```

**Arguments**

scale	scalar or vector scale parameter.
-------	-----------------------------------

**Value**

An environment representing the specified prior, for internal use.



---

pr_fixed	<i>Create an object representing a degenerate prior fixing a parameter (vector) to a fixed value</i>
----------	--

---

**Description**

Create an object representing a degenerate prior fixing a parameter (vector) to a fixed value

**Usage**

```
pr_fixed(value = 1)
```

**Arguments**

value            scalar or vector value parameter.

**Value**

An environment representing the specified prior, for internal use.

---

pr_gamma	<i>Create an object representing gamma prior distributions</i>
----------	--

---

**Description**

Create an object representing gamma prior distributions

**Usage**

```
pr_gamma(shape = 1, rate = 1)
```

**Arguments**

shape            scalar or vector shape parameter.  
rate             scalar or vector rate, i.e. inverse scale, parameter.

**Value**

An environment representing the specified prior, for internal use.

---

pr_gig	<i>Create an object representing Generalized Inverse Gaussian (GIG) prior distributions</i>
--------	---

---

**Description**

Create an object representing Generalized Inverse Gaussian (GIG) prior distributions

**Usage**

```
pr_gig(a, b, p)
```

**Arguments**

a	scalar or vector parameter.
b	scalar or vector parameter.
p	scalar or vector parameter.

**Value**

An environment representing the specified prior, for internal use.

---

pr_invchisq	<i>Create an object representing inverse chi-squared priors with possibly modeled degrees of freedom and scale parameters</i>
-------------	---

---

**Description**

Create an object representing inverse chi-squared priors with possibly modeled degrees of freedom and scale parameters

**Usage**

```
pr_invchisq(df = 1, scale = 1)
```

**Arguments**

df	degrees of freedom parameter. This can be a numeric scalar or vector of length n, the dimension of the parameter vector. Alternatively, for a scalar degrees of freedom parameter, df="modeled" or df="modelled" assign a default (gamma) prior to the degrees of freedom parameter. For more control of this gamma prior a list can be passed with some of the following components: <b>alpha0</b> shape parameter of the gamma distribution <b>beta0</b> rate parameter of the gamma distribution
----	---

**proposal** "RW" for random walk Metropolis-Hastings or "mala" for Metropolis-adjusted Langevin

**tau** (starting) scale of Metropolis-Hastings update

**adapt** whether to adapt the scale of the proposal distribution during burnin to achieve better acceptance rates.

**scale** scalar or vector scale parameter. Alternatively, `scale="modeled"` or `scale="modelled"` puts a default chi-squared prior on the scale parameter. For more control on this chi-squared prior a list can be passed with some of the following components:

**df** degrees of freedom (scalar or vector)

**scale** scale (scalar or vector)

**common** whether the modeled scale parameter of the inverse chi-squared distribution is (a scalar parameter) common to all n parameters.

### Value

An environment representing the specified prior, for internal use.

---

pr_invwishart	<i>Create an object representing an inverse Wishart prior, possibly with modeled scale matrix</i>
---------------	---

---

### Description

Create an object representing an inverse Wishart prior, possibly with modeled scale matrix

### Usage

```
pr_invwishart(df = NULL, scale = NULL)
```

### Arguments

**df** Degrees of freedom parameter. This should be a scalar numeric value. Default value is the dimension plus one.

**scale** Either a (known) scale matrix, or `scale="modeled"` or `scale="modelled"`, which puts default chi-squared priors on the diagonal elements of the inverse Wishart scale matrix. For more control on these chi-squared priors a list can be passed with some of the following components:

**df** degrees of freedom (scalar or vector) of the chi-squared distribution(s)

**scale** scale parameter(s) of the chi-squared distribution(s)

**common** whether the modeled scale parameter of the inverse chi-squared distribution is (a scalar parameter) common to all n diagonal elements.

### Value

An environment representing the specified prior, for internal use.

## References

A. Huang and M.P. Wand (2013). Simple marginally noninformative prior distributions for covariance matrices. *Bayesian Analysis* 8, 439-452.

---

pr_MLiG	<i>Create an object representing a Multivariate Log inverse Gamma (MLiG) prior distribution</i>
---------	---

---

## Description

Create an object representing a Multivariate Log inverse Gamma (MLiG) prior distribution

## Usage

```
pr_MLiG(mean = 0, precision = 0, labels = NULL, a = 1000)
```

## Arguments

mean	scalar or vector parameter for the mean in the large $a$ limit, when the distribution approaches a normal distribution.
precision	scalar or vector parameter for the precision in the large $a$ limit, when the distribution approaches a normal distribution.
labels	optional character vector with coefficient labels. If specified, it should have the same length as at least one of mean and precision, and in that case the MLiG prior with these parameters is assigned to these coefficients, while any coefficients not present in labels will be assigned a non-informative prior with mean 0 and precision 0.
a	scalar parameter that controls how close the prior is to independent normal priors with mean and precision parameters. The larger this value (default is 1000), the closer.

## Value

An environment representing the specified prior, for internal use.

## References

J.R. Bradley, S.H. Holan and C.K. Wikle (2018). Computationally efficient multivariate spatio-temporal models for high-dimensional count-valued data (with discussion). *Bayesian Analysis* 13(1), 253-310.

---

pr_normal	<i>Create an object representing a possibly multivariate normal prior distribution</i>
-----------	--

---

**Description**

Create an object representing a possibly multivariate normal prior distribution

**Usage**

```
pr_normal(mean = 0, precision = 0, labels = NULL)
```

**Arguments**

mean	scalar or vector mean parameter.
precision	scalar, vector or matrix precision parameter.
labels	optional character vector with coefficient labels. If specified, it should have the same length as at least one of mean and precision, and in that case the normal prior with these parameters is assigned to these coefficients, while any coefficients not present in labels will be assigned a non-informative prior with mean 0 and precision 0.

**Value**

An environment representing the specified prior, for internal use.

---

pr_truncnormal	<i>Create an object representing truncated normal prior distributions</i>
----------------	---

---

**Description**

Create an object representing truncated normal prior distributions

**Usage**

```
pr_truncnormal(mean = 0, precision = 1, lower = 0, upper = Inf)
```

**Arguments**

mean	scalar or vector mean parameter.
precision	scalar, vector or matrix precision parameter.
lower	lower limit of the truncated interval.
upper	lower limit of the truncated interval.

**Value**

An environment representing the specified prior, for internal use.

---

pr_unif	<i>Create an object representing uniform prior distributions</i>
---------	--

---

**Description**

Create an object representing uniform prior distributions

**Usage**

```
pr_unif(min = 0, max = 1)
```

**Arguments**

min	lower limit.
max	upper limit.

**Value**

An environment representing the specified prior, for internal use.

---

read_draws	<i>Read MCMC draws from a file</i>
------------	------------------------------------

---

**Description**

Read draws written to file by [MCMCsim](#) used with argument to .file.

**Usage**

```
read_draws(name, filename = paste0("MCdraws_", name, ".dat"))
```

**Arguments**

name	name of the parameter to load the corresponding file with posterior draws for.
filename	name of the file in which the draws are stored.

**Value**

An object of class dc containing MCMC draws for a (vector) parameter.

## Examples

```
## Not run:
# NB this example creates a file "MCdraws_e_.dat" in the working directory
n <- 100
dat <- data.frame(x=runif(n), f=as.factor(sample(1:5, n, replace=TRUE)))
gd <- generate_data(~ reg(~ x + f, prior=pr_normal(precision=1), name="beta"), data=dat)
dat$y <- gd$y
sampler <- create_sampler(y ~ reg(~ x + f, name="beta"), data=dat)
# run the MCMC simulation and write draws of residuals to file:
sim <- MCMCsim(sampler, n.iter=500, to.file="e_")
summary(sim)
mcrec <- read_draws("e_")
summary(mcrec)

## End(Not run)
```

---

 reg

*Create a model component object for a regression (fixed effects) component in the linear predictor*

---

## Description

This function is intended to be used on the right hand side of the formula argument to [create\\_sampler](#) or [generate\\_data](#). It creates an additive regression term in the model's linear predictor. By default, the prior for the regression coefficients is improper uniform. A proper normal prior can be set up using function [pr\\_normal](#), and passed to argument prior. It should be noted that [pr\\_normal](#) expects a precision matrix as input for its second argument, and that the prior variance (matrix) is taken to be the inverse of this precision matrix, where in case the model's family is "gaussian" this matrix is additionally multiplied by the residual scalar variance parameter  $\sigma^2$ .

## Usage

```
reg(
  formula = ~1,
  remove.redundant = FALSE,
  sparse = NULL,
  X = NULL,
  prior = NULL,
  Q0 = NULL,
  b0 = NULL,
  R = NULL,
  r = NULL,
  S = NULL,
  s = NULL,
  lower = NULL,
  upper = NULL,
  name = "",
```

```

    debug = FALSE
  )

```

### Arguments

formula	a formula specifying the predictors to be used in the model, in the same way as the right hand side of the formula argument of R's <code>lm</code> function. Variable names are looked up in the data frame passed as <code>data</code> argument to <code>create_sampler</code> or <code>generate_data</code> , or in <code>environment(formula)</code> .
remove.redundant	whether redundant columns should be removed from the design matrix. Default is FALSE. But note that treatment contrasts are automatically applied to all factor variables in formula.
sparse	whether the model matrix associated with formula should be sparse. The default is to base this on a simple heuristic.
X	a (possibly sparse) design matrix can be specified directly, as an alternative to the creation of one based on formula. If X is specified formula is ignored.
prior	prior specification for the regression coefficients. Supported priors can be specified using functions <code>pr_normal</code> , <code>pr_fixed</code> , or <code>pr_MLiG</code> . The latter prior is only available in conjunction with a gamma family sampling distribution.
Q0	prior precision matrix for the regression effects. The default is a zero matrix corresponding to a noninformative improper prior. It can be specified as a scalar value, as a numeric vector of appropriate length, or as a matrix object. DEPRECATED, please use argument <code>prior</code> instead, i.e. <code>prior = pr_normal(mean = b0.value, precision = Q0.value)</code> .
b0	prior mean for the regression effect. Defaults to a zero vector. It can be specified as a scalar value or as a numeric vector of appropriate length. DEPRECATED, please use argument <code>prior</code> instead, i.e. <code>prior = pr_normal(mean = b0.value, precision = Q0.value)</code> .
R	optional constraint matrix for equality restrictions $R'x = r$ where $x$ is the vector of regression effects.
r	right hand side for the equality constraints.
S	optional constraint matrix for inequality constraints $S'x \geq s$ where $x$ is the vector of regression effects.
s	right hand side for the inequality constraints.
lower	as an alternative to <code>s</code> , lower and upper may be specified for two-sided constraints $lower \leq S'x \leq upper$ .
upper	as an alternative to <code>s</code> , lower and upper may be specified for two-sided constraints $lower \leq S'x \leq upper$ .
name	the name of the model component. This name is used in the output of the MCMC simulation function <code>MCMCsim</code> . By default the name will be 'reg' with the number of the model term attached.
debug	if TRUE a breakpoint is set at the beginning of the posterior draw function associated with this model component. Mainly intended for developers.



**Value**

An object with precomputed quantities and functions for sampling from prior or conditional posterior distributions for this model component. Intended for internal use by other package functions.

**Examples**

```

data(iris)
# default: flat priors on regression coefficients
sampler <- create_sampler(Sepal.Length ~
  reg(~ Petal.Length + Species, name="beta"),
  data=iris
)
sim <- MCMCsim(sampler, burnin=100, n.iter=400)
summary(sim)
# (weakly) informative normal priors on regression coefficients
sampler <- create_sampler(Sepal.Length ~
  reg(~ Petal.Length + Species, prior=pr_normal(precision=1e-2), name="beta"),
  data=iris
)
sim <- MCMCsim(sampler, burnin=100, n.iter=400)
summary(sim)
# binary regression
sampler <- create_sampler(Species == "setosa" ~
  reg(~ Sepal.Length, prior=pr_normal(precision=0.1), name="beta"),
  family="binomial", data=iris)
sim <- MCMCsim(sampler, burnin=100, n.iter=400)
summary(sim)
pred <- predict(sim)
str(pred)
# example with equality constrained regression effects
n <- 500
df <- data.frame(x=runif(n))
df$y <- rnorm(n, 1 + 2*df$x)
R <- matrix(1, 2, 1)
r <- 3
sampler <- create_sampler(y ~ reg(~ 1 + x, R=R, r=r, name="beta"), data=df)
sim <- MCMCsim(sampler)
summary(sim)
plot(sim, "beta")
summary(transform_dc(sim$beta, fun=function(x) crossprod_mv(R, x) - r))

```

---

residuals-fitted-values

*Extract draws of fitted values or residuals from an mcdraws object*

---

## Description

For a model created with `create_sampler` and estimated using `MCMCsim`, these functions return the posterior draws of fitted values or residuals. In the current implementation the fitted values correspond to the linear predictor and the residuals are computed as the data vector minus the fitted values, regardless of the model's distribution family. For large datasets the returned object can become very large. One may therefore select a subset of draws or chains or use `mean.only=TRUE` to return a vector of posterior means only.

## Usage

```
## S3 method for class 'mcdraws'
fitted(
  object,
  mean.only = FALSE,
  units = NULL,
  chains = seq_len(n_chains(object)),
  draws = seq_len(n_draws(object)),
  matrix = FALSE,
  type = c("link", "response"),
  ...
)

## S3 method for class 'mcdraws'
residuals(
  object,
  mean.only = FALSE,
  units = NULL,
  chains = seq_len(n_chains(object)),
  draws = seq_len(n_draws(object)),
  matrix = FALSE,
  ...
)
```

## Arguments

<code>object</code>	an object of class <code>mcdraws</code> .
<code>mean.only</code>	if <code>TRUE</code> only the vector of posterior means is returned. In that case the subsequent arguments are ignored. Default is <code>FALSE</code> .
<code>units</code>	the data units (by default all) for which fitted values or residuals should be computed.
<code>chains</code>	optionally, a selection of chains.
<code>draws</code>	optionally, a selection of draws per chain.
<code>matrix</code>	whether a matrix should be returned instead of a <code>dc</code> object.
<code>type</code>	the type of fitted values: "link" for fitted values on the linear predictor scale (the default), and "response" for fitted values on the response scale. Returned residuals are always on the response scale.
<code>...</code>	currently not used.

**Value**

Either a draws component object or a matrix with draws of fitted values or residuals. The residuals are always on the response scale, whereas fitted values can be on the scale of the linear predictor or the response depending on type. If mean.only=TRUE, a vector of posterior means.

**Examples**

```
ex <- mcmcsae_example(n=50)
sampler <- create_sampler(ex$model, data=ex$dat)
sim <- MCMCsim(sampler, burnin=100, n.iter=300, thin=2, store.all=TRUE)
fitted(sim, mean.only=TRUE)
summary(fitted(sim))
residuals(sim, mean.only=TRUE)
summary(residuals(sim))
bayesplot::mcmc_intervals(as.matrix(subset(residuals(sim), vars=1:20)))
```

---

sampler_control	<i>Set computational options for the sampling algorithms</i>
-----------------	--

---

**Description**

Set computational options for the sampling algorithms

**Usage**

```
sampler_control(
  add.outer.R = TRUE,
  recompute.e = TRUE,
  expanded.cMVN.sampler = FALSE,
  CG = NULL,
  block = TRUE,
  block.V = TRUE,
  auto.order.block = TRUE,
  chol.control = chol_control(),
  max.size.cps.template = 100,
  PG.approx = TRUE,
  PG.approx.m = -2L,
  CRT.approx.m = 20L
)
```

**Arguments**

`add.outer.R` whether to add the outer product of a constraint matrix for a better conditioned linear system of equations, typically for coefficients sampled in a Gibbs-block. Default is TRUE. If NULL, a simple heuristic is used to decide whether to add the outer product of possibly a submatrix of the constraint matrix.

recompute.e	when FALSE, residuals or linear predictors are only computed at the start of the simulation. This may give a modest speedup but in some cases may be less accurate due to round-off error accumulation. Default is TRUE.
expanded.cMVN.sampler	whether an expanded linear system including dual variables is used for equality constrained multivariate normal sampling. If set to TRUE this may improve the performance of the blocked Gibbs sampler in case of a large number of equality constraints, typically GMRF identifiability constraints.
CG	use a conjugate gradient iterative algorithm instead of Cholesky updates for sampling the model's coefficients. This must be a list with possible components <code>max.it</code> , <code>stop.criterion</code> , <code>verbose</code> , <code>preconditioner</code> and <code>scale</code> . See the help for function <code>CG_control</code> , which can be used to specify these options. Conjugate gradient sampling is currently an experimental feature that can be used for blocked Gibbs sampling but with some limitations.
block	if TRUE, the default, all coefficients are sampled in a single block. Alternatively, a list of character vectors with names of model components whose coefficients should be sampled together in blocks.
block.V	if TRUE, the default, all coefficients of reg and gen components in a variance model formula are sampled in a single block. Alternatively, a list of character vectors with names of model components whose coefficients should be sampled together in blocks.
auto.order.block	whether Gibbs blocks should be ordered automatically in such a way that those with the most sparse design matrices come first. This way of ordering can make Cholesky updates more efficient.
chol.control	options for Cholesky decomposition, see <code>chol_control</code> .
max.size.cps.template	maximum allowed size in MB of the sparse matrix serving as a template for the sparse symmetric crossproduct $X'QX$ of a dgCMatrix $X$ , where $Q$ is a diagonal matrix subject to change.
PG.approx	whether Polya-Gamma draws for logistic binomial models are approximated by a hybrid gamma convolution approach. If not, <code>BayesLogit::rpg</code> is used, which is exact for some values of the shape parameter.
PG.approx.m	if <code>PG.approx=TRUE</code> , the number of explicit gamma draws in the sum-of-gammas representation of the Polya-Gamma distribution. The remainder (infinite) convolution is approximated by a single moment-matching gamma draw. Special values are: <code>-2L</code> for a default choice depending on the value of the shape parameter balancing performance and accuracy, <code>-1L</code> for a moment-matching normal approximation, and <code>0L</code> for a moment-matching gamma approximation.
CRT.approx.m	scalar integer specifying the degree of approximation to sampling from a Chinese Restaurant Table distribution. The approximation is based on Le Cam's theorem. Larger values yield a slower but more accurate sampler.

### Value

A list with specified computational options used by various sampling functions.

## References

- D. Bates, M. Maechler, B. Bolker and S.C. Walker (2015). Fitting Linear Mixed-Effects Models Using lme4. *Journal of Statistical Software* 67(1), 1-48.
- Y. Chen, T.A. Davis, W.W. Hager and S. Rajamanickam (2008). Algorithm 887: CHOLMOD, supernodal sparse Cholesky factorization and update/downdate. *ACM Transactions on Mathematical Software* 35(3), 1-14.

---

SBC\_test

*Simulation based calibration*

---

## Description

Simulation based calibration

## Usage

```
SBC_test(
  ...,
  pars,
  n.draw = 25L,
  n.sim = 20L * n.draw,
  burnin = 25L,
  thin = 2L,
  show.progress = TRUE,
  verbose = TRUE,
  n.cores = 1L,
  cl = NULL,
  seed = NULL,
  export = NULL
)
```

## Arguments

...	passed to <code>create_sampler</code> (can be all parameters except <code>prior.only</code> )
<code>pars</code>	named list with univariate functions of the parameters to use in test. This list is passed to argument <code>pred</code> of <code>MCMCsim</code> .
<code>n.draw</code>	number of posterior draws to retain in posterior simulations.
<code>n.sim</code>	number of simulation iterations.
<code>burnin</code>	burnin to use in posterior simulations, passed to <code>MCMCsim</code> .
<code>thin</code>	thinning to use in posterior simulations, passed to <code>MCMCsim</code> .
<code>show.progress</code>	whether a progress bar should be shown.
<code>verbose</code>	set to <code>FALSE</code> to suppress messages.
<code>n.cores</code>	the number of cpu cores to use. Default is one, i.e. no parallel computation. If an existing cluster <code>cl</code> is provided, <code>n.cores</code> will be set to the number of workers in that cluster.

cl	an existing cluster can be passed for parallel computation. If NULL and n.cores > 1, a new cluster is created.
seed	a random seed (integer). For parallel computation it is used to independently seed RNG streams for all workers.
export	a character vector with names of objects to export to the workers. This may be needed for parallel execution if expressions in the model formulae depend on global variables.

### Value

A matrix with ranks.

### References

M. Modrak, A.H. Moon, S. Kim, P. Buerkner, N. Huurre, K. Faltejskova, A. Gelman and A. Vehtari (2023). Simulation-based calibration checking for Bayesian computation: The choice of test quantities shapes sensitivity. *Bayesian Analysis*, 1(1), 1-28.

### Examples

```
## Not run:
# this example may take a long time
n <- 10L
dat <- data.frame(x=runif(n))
ranks <- SBC_test(~ reg(~ 1 + x, prior=pr_normal(mean=c(0.25, 1), precision=1), name="beta"),
  sigma.mod=pr_invchisq(df=1, scale=list(df=1, scale=1)), data=dat,
  pars=list(mu="beta[1]", beta_x="beta[2]", sigma="sigma_"),
  n.draw=9L, n.sim=10L*20L, thin=2L, burnin=20L
)
ranks

## End(Not run)
```

---

setup\_cluster

*Set up a cluster for parallel computing*

---

### Description

The cluster is set up for a number of workers by loading the **mcmc**sae package and setting up independent RNG streams.

### Usage

```
setup_cluster(n.cores = NULL, seed = NULL, export = NULL)
```

**Arguments**

n.cores	the number of cpu cores to use.
seed	optional random seed for reproducibility.
export	a character vector with names of objects to export to the workers.

**Value**

An object representing the cluster.

---

set_MH	<i>Set options for Metropolis-Hastings sampling</i>
--------	---

---

**Description**

Set options for Metropolis-Hastings sampling

**Usage**

```
set_MH(type = "RWTN", scale = 0.025, adaptive = NULL, ...)
```

**Arguments**

type	a character string defining the proposal distribution. Among supported types are random walk proposals "RWTN", "RWN" and "RWLN" with truncated normal, normal and log-normal proposal distributions. Other choices correspond to independence proposals: "TN" for a truncated normal proposal, "unif" for a uniform proposal, and "beta" and "gamma" for specific beta and gamma proposal distributions. Not all types are supported for a particular parameter; see the specific help of the function defining the model component of interest to see which proposal distribution types are supported.
scale	in case of the "RWTN" proposal, the (initial) scale of the distribution.
adaptive	in case of the random walk "RWTN" or "RWN" proposals, whether the scale parameter is adapted based on acceptance rates during the burnin phase of the MCMC simulation. The default is TRUE in these cases.
...	additional parameters depending on the proposal type. Supported arguments are 'l' and 'u' to pass the lower and upper limits of uniform or random walk truncated normal proposals (defaults l=0 and u=1), and 'a' and 'b' to pass the shape parameters of a beta proposal distribution (defaults a = b = 0.5).

**Value**

An environment with variables and methods for Metropolis-Hastings sampling, for use by other package functions.

---

sim_marg_var	<i>Compute a Monte Carlo estimate of the marginal variances of a (I)GMRF</i>
--------------	--

---

### Description

Estimate marginal variances of a (I)GMRF prior defined in terms of a sparse precision matrix and possibly a set of equality constraints. The marginal variances might be used to rescale the precision matrix such that a default prior for a corresponding variance component is more appropriate.

### Usage

```
sim_marg_var(
  D,
  Q = NULL,
  R = NULL,
  r = NULL,
  eps1 = 1e-09,
  eps2 = 1e-09,
  nSim = 100L
)
```

### Arguments

D	factor of precision matrix Q such that $Q=D'D$ .
Q	precision matrix.
R	equality restriction matrix.
r	rhs vector for equality constraints $R'x = r$ , where $R'$ denotes the transpose of R.
eps1	passed to <a href="#">create_cMVN_sampler</a> .
eps2	passed to <a href="#">create_cMVN_sampler</a> .
nSim	number of Monte Carlo samples used to estimate the marginal variances.

### Value

A vector of Monte Carlo estimates of the marginal variances.

### References

S.H. Sorbye and H. Rue (2014). Scaling intrinsic Gaussian Markov random field priors in spatial modelling. *Spatial Statistics*, 8, 39-51.



---

stop_cluster	<i>Stop a cluster</i>
--------------	-----------------------

---

**Description**

Stop a cluster set up by `setup_cluster`.

**Usage**

```
stop_cluster(c1)
```

**Arguments**

`c1` the cluster object.

**Value**

NULL.

---

subset.dc	<i>Select a subset of chains, samples and parameters from a draws component (dc) object</i>
-----------	---

---

**Description**

Select a subset of chains, samples and parameters from a draws component (dc) object

**Usage**

```
## S3 method for class 'dc'
subset(x, chains = NULL, draws = NULL, vars = NULL, ...)
```

**Arguments**

`x` a draws component (dc) object.  
`chains` an integer vector indicating which chains to select.  
`draws` an integer vector indicating which samples to select.  
`vars` an integer vector indicating which parameters to select.  
`...` not used.

**Value**

The selected part of the draws component as an object of class dc.

**Examples**

```

n <- 300
dat <- data.frame(x=runif(n), f=as.factor(sample(1:7, n, replace=TRUE)))
gd <- generate_data(~ reg(~ x + f, prior=pr_normal(precision=1), name="beta"), data=dat)
dat$y <- gd$y
sampler <- create_sampler(y ~ reg(~ x + f, name="beta"), data=dat)
sim <- MCMCsim(sampler)
(summary(sim$beta))
(summary(subset(sim$beta, chains=1)))
(summary(subset(sim$beta, chains=1, draws=sample(1:n_draws(sim), 100))))
(summary(subset(sim$beta, vars=1:2)))

```

summary.dc

*Summarize a draws component (dc) object***Description**

Summarize a draws component (dc) object

**Usage**

```

## S3 method for class 'dc'
summary(
  object,
  probs = c(0.05, 0.5, 0.95),
  na.rm = FALSE,
  time = NULL,
  abbr = FALSE,
  batch.size = 100L,
  ...
)

```

**Arguments**

object	an object of class dc.
probs	vector of probabilities at which to evaluate quantiles.
na.rm	whether to remove NA/NaN draws in computing the summaries.
time	MCMC computation time; if specified the effective sample size per unit of time is returned in an extra column labeled 'efficiency'.
abbr	if TRUE abbreviate the labels in the output.
batch.size	number of parameter columns to process simultaneously. A larger batch size may speed things up a little, but if an out of memory error occurs it may be a good idea to use a smaller number and try again. The default is 100.
...	arguments passed to <code>n_eff</code> .

**Value**

A matrix with summaries of class `dc_summary`.

**Examples**

```
ex <- mcmcsae_example()
sampler <- create_sampler(ex$model, data=ex$dat)
sim <- MCMCsim(sampler, store.all=TRUE)
summary(sim$u)
```

---

<code>summary.mcdraws</code>	<i>Summarize an mcdraws object</i>
------------------------------	------------------------------------

---

**Description**

Summarize an mcdraws object

**Usage**

```
## S3 method for class 'mcdraws'
summary(
  object,
  vnames = NULL,
  probs = c(0.05, 0.5, 0.95),
  na.rm = FALSE,
  efficiency = FALSE,
  abbr = FALSE,
  batch.size = 100L,
  ...
)
```

**Arguments**

<code>object</code>	an object of class <code>mcdraws</code> , typically generated by function <a href="#">MCMCsim</a> .
<code>vnames</code>	optional character vector to select a subset of parameters.
<code>probs</code>	vector of probabilities at which to evaluate quantiles.
<code>na.rm</code>	whether to remove NA/NaN draws in computing the summaries.
<code>efficiency</code>	if TRUE the effective sample size per second of computation time is returned as well.
<code>abbr</code>	if TRUE abbreviate the labels in the output.
<code>batch.size</code>	number of parameter columns to process simultaneously for vector parameters. A larger batch size may speed things up a little, but if an out of memory error occurs it may be a good idea to use a smaller number and try again. The default is 100.
<code>...</code>	arguments passed to <a href="#">n_eff</a> .

**Value**

A list of class `mcdraws_summary` summarizing object.

**Examples**

```
ex <- mcmcsae_example()
sampler <- create_sampler(ex$model, data=ex$dat)
sim <- MCMCsim(sampler, store.all=TRUE)
summary(sim)
par_names(sim)
summary(sim, c("beta", "v_sigma", "u_sigma"))
```

---

TMVN-methods

*Functions for specifying the method and corresponding options for sampling from a possibly truncated and degenerate multivariate normal distribution*

---

**Description**

These functions are intended for use in the method argument of `create_TMVN_sampler`.

**Usage**

```
m_direct(use.cholV = NULL)

m_Gibbs(slice = FALSE, eps = sqrt(.Machine$double.eps), diagnostic = FALSE)

m_HMC(Tsim = pi/2, max.events = .Machine$integer.max, diagnostic = FALSE)

m_HMCZigZag(
  Tsim = 1,
  rate = 1,
  prec.eq = NULL,
  diagnostic = FALSE,
  max.events = .Machine$integer.max,
  adapt = FALSE
)

m_softTMVN(
  sharpness = 100,
  useV = FALSE,
  CG = NULL,
  PG.approx = TRUE,
  PG.approx.m = -2L
)
```

**Arguments**

<code>use.cholV</code>	whether to use the Cholesky factor of the variance instead of precision matrix for sampling. If NULL the choice is made based on a simple heuristic.
<code>slice</code>	if TRUE, a Gibbs within slice sampler is used.
<code>eps</code>	small positive value to control numerical robustness of the algorithm.
<code>diagnostic</code>	whether information about violations of inequalities, bounces off inequality walls (for 'HMC' and 'HMCZigZag' methods) or gradient events (for 'HMCZigZag') is printed to the screen.
<code>Tsim</code>	the duration of a Hamiltonian Monte Carlo simulated particle trajectory. This can be specified as either a single positive numeric value for a fixed simulation time, or as a function that is applied in each MCMC iteration to generates a simulation time.
<code>max.events</code>	maximum number of events (reflections off inequality walls and for method 'HMCZigZag' also gradient events). Default is unlimited. Specifying a finite number may speed up the sampling but may also result in a biased sampling algorithm.
<code>rate</code>	vector of Laplace rate parameters for method 'HMCZigZag'. It must be a positive numeric vector of length one or the number of variables.
<code>prec.eq</code>	positive numeric vector of length 1 or the number of equality restrictions, to control the precision with which the equality restrictions are imposed; the larger <code>prec.eq</code> the more precisely they will be imposed.
<code>adapt</code>	experimental feature: if TRUE the rate parameter will be adapted in an attempt to make the sampling algorithm more efficient.
<code>sharpness</code>	for method 'softTMVN', the sharpness of the soft inequalities; the larger the better the approximation of exact inequalities. It must be a positive numeric vector of length one or the number of inequality restrictions.
<code>useV</code>	for method 'softTMVN' whether to base computations on variance instead of precision matrices.
<code>CG</code>	use a conjugate gradient iterative algorithm instead of Cholesky updates for sampling the model's coefficients. This must be a list with possible components <code>max.it</code> , <code>stop.criterion</code> , <code>verbose</code> . See the help for function <code>CG_control</code> , which can be used to specify these options. Currently the preconditioner and scale options cannot be set for this use case.
<code>PG.approx</code>	see <code>sampler_control</code> .
<code>PG.approx.m</code>	see <code>sampler_control</code> .

**Value**

A method object, for internal use only.

---

transform_dc	<i>Transform one or more draws component objects into a new one by applying a function</i>
--------------	--

---

### Description

Transform one or more draws component objects into a new one by applying a function

### Usage

```
transform_dc(..., fun, to.matrix = FALSE, labels = NULL)
```

### Arguments

...	draws component object(s) of class dc.
fun	a function to apply. This function should take as many arguments as there are input objects. The arguments can be arbitrarily named, but they are assumed to be in the same order as the input objects. The function should return a vector.
to.matrix	if TRUE the output is in matrix format; otherwise it is a draws component object.
labels	optional labels for the output object.

### Value

Either a matrix or a draws component object.

### Examples

```
ex <- mcmcsae_example(n=50)
sampler <- create_sampler(ex$model, data=ex$dat)
sim <- MCMCsim(sampler, burnin=100, n.iter=300, thin=2, n.chain=4, store.all=TRUE)
summary(sim$v_sigma)
summary(transform_dc(sim$v_sigma, fun=function(x) x^2))
summary(transform_dc(sim$u, sim$u_sigma, fun=function(x1, x2) abs(x1)/x2))
```

---

vfac	<i>Create a model component object for a variance factor component in the variance function of a gaussian sampling distribution</i>
------	---

---

### Description

This function is intended to be used on the right hand side of the formula.V argument to [create\\_sampler](#) or [generate\\_data](#).

**Usage**

```
vfac(
  factor = "local_",
  prior = pr_invchisq(df = 1, scale = 1),
  name = "",
  debug = FALSE
)
```

**Arguments**

factor	The name of a factor variable. The name "local_" has a special meaning, and assigns a different variance scale parameter to each data unit. In case of inverse chi-squared priors this implies that the marginal sampling distribution is a t distribution. In case of exponential priors the marginal sampling distribution is a Laplace or double exponential distribution.
prior	the prior assigned to the variance factors. Currently the prior can be inverse chi-squared or exponential, specified by a call to <code>pr_invchisq</code> or <code>pr_exp</code> , respectively. The default priors are inverse chi-squared with 1 degree of freedom. See the help pages of the prior specification functions for details on how to set non-default priors.
name	The name of the variance model component. This name is used in the output of the MCMC simulation function <code>MCMCsim</code> . By default the name will be 'vfac' with the number of the variance model term attached.
debug	If TRUE a breakpoint is set at the beginning of the posterior draw function associated with this model component. Mainly intended for developers.

**Value**

An object with precomputed quantities and functions for sampling from prior or conditional posterior distributions for this model component. Intended for internal use by other package functions.

---

vreg	<i>Create a model component object for a regression component in the variance function of a gaussian sampling distribution</i>
------	--

---

**Description**

This function is intended to be used on the right hand side of the formula.V argument to `create_sampler` or `generate_data`.

**Usage**

```
vreg(
  formula = NULL,
  remove.redundant = FALSE,
  sparse = NULL,
```

```

X = NULL,
prior = NULL,
Q0 = NULL,
b0 = NULL,
name = ""
)

```

## Arguments

formula	a formula for the regression effects explaining the log-variance. Variable names are looked up in the data frame passed as data argument to <code>create_sampler</code> or <code>generate_data</code> , or in <code>environment(formula)</code> .
remove.redundant	whether redundant columns should be removed from the design matrix. Default is FALSE.
sparse	whether the model matrix associated with formula should be sparse. The default is determined by a simple heuristic based on storage size.
X	a (possibly sparse) design matrix can be specified directly, as an alternative to the creation of one based on formula. If X is specified formula is ignored.
prior	prior specification for the coefficients. Currently only normal priors are supported, specified using function <code>pr_normal</code> .
Q0	prior precision matrix for the regression effects. The default is a zero matrix corresponding to a noninformative improper prior. DEPRECATED, please use argument prior instead, i.e. <code>prior = pr_normal(mean = b0.value, precision = Q0.value)</code> .
b0	prior mean for the regression effect. Defaults to a zero vector. DEPRECATED, please use argument prior instead, i.e. <code>prior = pr_normal(mean = b0.value, precision = Q0.value)</code> .
name	the name of the model component. This name is used in the output of the MCMC simulation function <code>MCMCsim</code> . By default the name will be 'vreg' with the number of the variance model term attached.

## Value

An object with precomputed quantities and functions for sampling from prior or conditional posterior distributions for this model component. Intended for internal use by other package functions.

## References

- E. Cepeda and D. Gamerman (2000). Bayesian modeling of variance heterogeneity in normal regression models. *Brazilian Journal of Probability and Statistics*, 207-221.
- T.I. Lin and W.L. Wang (2011). Bayesian inference in joint modelling of location and scale parameters of the t distribution for longitudinal data. *Journal of Statistical Planning and Inference* 141(4), 1543-1553.



---

weights.mcdraws	<i>Extract weights from an mcdraws object</i>
-----------------	---

---

**Description**

Extract weights from an mcdraws object

**Usage**

```
## S3 method for class 'mcdraws'
weights(object, ...)
```

**Arguments**

object	an object of class mcdraws.
...	currently not used.

**Value**

A vector with (simulation means of) weights.

**Examples**

```
# first create a population data frame
N <- 1000 # population size
pop <- data.frame(x=rnorm(N), area=factor(sample(1:10, N, replace=TRUE)))
pop$y <- 1 + 2*pop$x + seq(-1, to=1, length.out=10)[pop$area] + 0.5*rnorm(N)
pop$sample <- FALSE
pop$sample[sample(seq_len(N), 100)] <- TRUE
# a simple linear regression model:
sampler <- create_sampler(
  y ~ reg(~ x, name="beta"),
  linpred=list(beta=rowsum(model.matrix(~ x, pop), pop$area)), compute.weights=TRUE,
  data=pop[pop$sample, ]
)
sim <- MCMCsim(sampler)
(summary(sim))
str(weights(sim))
crossprod_mv(weights(sim), pop$y[pop$sample])
summary(sim$linpred_)
# a multilevel model:
sampler <- create_sampler(
  y ~ reg(~ x, name="beta") + gen(factor = ~ area, name="v"),
  linpred=list(beta=rowsum(model.matrix(~ x, pop), pop$area), v=diag(10)), compute.weights=TRUE,
  data=pop[pop$sample, ]
)
sim <- MCMCsim(sampler)
(summary(sim))
str(weights(sim))
```

```
crossprod_mv(weights(sim), pop$y[pop$sample])  
summary(sim$linpred_)
```

# Index

- `%m*v%` (matrix-vector), 31
- acceptance\_rates, 4
- aggrMatrix, 5
- AR1 (correlation), 11
- as.array.dc (MCMC-object-conversion), 34
- as.matrix.dc (MCMC-object-conversion), 34
- brt, 5, 17
- CG\_control, 7, 68, 77
- chol\_control, 8, 8, 14, 19, 68
- Cholesky, 8
- combine\_chains, 9
- combine\_iters, 9
- compute\_DIC
  - (model-information-criteria), 43
- compute\_WAIC
  - (model-information-criteria), 43
- computeDesignMatrix, 10
- correlation, 11, 23
- create\_cMVN\_sampler, 13, 72
- create\_sampler, 5, 6, 14, 21–23, 26, 27, 29, 32, 36–38, 40–42, 63, 64, 66, 69, 78–80
- create\_TMVN\_sampler, 18, 76
- crossprod\_mv (matrix-vector), 31
- custom (correlation), 11
- dbarts, 6
- density, 48, 49
- draws\_array, 35
- f\_binomial (f\_gamma), 21
- f\_gamma, 21
- f\_gaussian (f\_gamma), 21
- f\_gaussian\_gamma (f\_gamma), 21
- f\_multinomial (f\_gamma), 21
- f\_negbinomial (f\_gamma), 21
- f\_poisson (f\_gamma), 21
- fitted.mcdraws
  - (residuals-fitted-values), 65
- gen, 11, 15, 17, 22, 28, 29
- gen\_control, 25, 27
- generate\_data, 5, 6, 17, 22, 23, 26, 29, 40–42, 63, 64, 78–80
- get\_draw, 28
- get\_means (posterior-moments), 51
- get\_sds (posterior-moments), 51
- glreg, 25, 28
- GMRF\_structure, 24, 29
- iid (correlation), 11
- labels, 30
- labels<- (labels), 30
- loo, 44
- loo.mcdraws
  - (model-information-criteria), 43
- m\_direct (TMVN-methods), 76
- m\_Gibbs (TMVN-methods), 76
- m\_HMC (TMVN-methods), 76
- m\_HMCZigZag (TMVN-methods), 76
- m\_softTMVN (TMVN-methods), 76
- matrix-vector, 31
- maximize\_log\_lh\_p, 32
- mc\_offset, 40
- MCMC-diagnostics, 33
- MCMC-object-conversion, 34
- mcmc.list, 34, 35
- mcmcsae (mcmcsae-package), 3
- mcmcsae-family, 15
- mcmcsae-family (f\_gamma), 21
- mcmcsae-package, 3
- mcmcsae\_example, 36

- MCMCsim, [4](#), [6](#), [14](#), [17](#), [25](#), [29](#), [37](#), [40](#), [42](#), [43](#),  
[52](#), [55](#), [62](#), [64](#), [66](#), [69](#), [75](#), [79](#), [80](#)
- mec, [15](#), [17](#), [41](#)
- model-information-criteria, [43](#)
- model\_matrix, [45](#)
- n\_chains (n\_chains-n\_draws-n\_vars), [46](#)
- n\_chains-n\_draws-n\_vars, [46](#)
- n\_draws (n\_chains-n\_draws-n\_vars), [46](#)
- n\_eff, [74](#), [75](#)
- n\_eff (MCMC-diagnostics), [33](#)
- n\_vars (n\_chains-n\_draws-n\_vars), [46](#)
- offset, [17](#)
- optim, [32](#)
- par\_names, [47](#)
- plot.dc, [48](#)
- plot.mcdraws, [48](#)
- plot\_coef, [49](#)
- poly2nb, [11](#), [12](#)
- posterior-moments, [51](#)
- pr\_beta, [56](#)
- pr\_exp, [16](#), [22](#), [24](#), [56](#), [79](#)
- pr\_fixed, [16](#), [22](#), [30](#), [57](#), [64](#)
- pr\_gamma, [22](#), [57](#)
- pr\_gig, [16](#), [58](#)
- pr\_invchisq, [16](#), [24](#), [58](#), [79](#)
- pr\_invwishart, [24](#), [59](#)
- pr\_MLiG, [24](#), [25](#), [60](#), [64](#)
- pr\_normal, [24](#), [29](#), [41](#), [42](#), [61](#), [63](#), [64](#), [80](#)
- pr\_truncnormal, [61](#)
- pr\_unif, [30](#), [62](#)
- predict.mcdraws, [52](#)
- print.dc\_summary, [54](#)
- print.mcdraws\_summary, [55](#)
- R\_hat (MCMC-diagnostics), [33](#)
- read\_draws, [62](#)
- reg, [15](#), [17](#), [63](#)
- residuals-fitted-values, [65](#)
- residuals.mcdraws  
(residuals-fitted-values), [65](#)
- RW1 (correlation), [11](#)
- RW2 (correlation), [11](#)
- sampler\_control, [17](#), [67](#), [77](#)
- SBC\_test, [69](#)
- season (correlation), [11](#)
- set\_MH, [12](#), [22](#), [30](#), [71](#)
- setup\_cluster, [70](#), [73](#)
- sim\_marg\_var, [72](#)
- spatial (correlation), [11](#)
- spline (correlation), [11](#)
- splineDesign, [11–13](#)
- st\_read, [11](#)
- stop\_cluster, [73](#)
- subset.dc, [73](#)
- summary.dc, [74](#)
- summary.mcdraws, [55](#), [75](#)
- TMVN-methods, [76](#)
- to\_draws\_array  
(MCMC-object-conversion), [34](#)
- to\_mcmc (MCMC-object-conversion), [34](#)
- transform\_dc, [78](#)
- vfac, [16](#), [17](#), [78](#)
- vreg, [16](#), [17](#), [79](#)
- waic, [44](#)
- waic.mcdraws  
(model-information-criteria),  
[43](#)
- weights.mcdraws, [81](#)